

呎数秒数表

秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm
1	0.6	1.5	11	6.6	16.5	21	12.6	31.5	31	18.6	46.5	41	24.6	61.5	51	30.6	76.5
2	1.2	3.	12	7.2	18.	22	13.2	33.	32	19.2	48.	42	25.2	63.	52	31.2	78.
3	1.8	4.5	13	7.8	19.5	23	13.8	34.5	33	19.8	49.5	43	25.8	64.5	53	31.8	79.5
4	2.4	6.	14	8.4	21.	24	14.4	36.	34	20.4	51.	44	26.4	66.	54	32.4	81.
5	3.	7.5	15	9.	22.5	25	15.	37.5	35	21.	52.5	45	27.	67.5	55	33.	82.5
6	3.6	9.	16	9.6	24.	26	15.6	39.	36	21.6	54.	46	27.6	69.	56	33.6	84.
7	4.2	10.5	17	10.2	25.5	27	16.2	40.5	37	22.2	55.5	47	28.2	70.5	57	34.2	85.5
8	4.8	12.	18	10.8	27.	28	16.8	42.	38	22.8	57.	48	28.8	72.	58	34.8	87.
9	5.4	13.5	19	11.4	28.5	29	17.4	43.5	39	23.4	58.5	49	29.4	73.5	59	35.4	88.5
10	6.	15.	20	12.	30.	30	18.	45.	40	24.	60.	50	30.	75.	60	36.	90.

No. /

49年

題名 御柱祭

35ミリ	カラー	シネスコ	トーキー
16ミリ	白黒	スタンダード	サイレント
巻	呎	分	m

ロール	カット	F I	カ ッ ト 内 容	OL WP FO	延呎数	カット 呎数	秒 数	同時	解説	音 楽	現実音	備 考
1		F.I	タイトル	F.O	4	4						
2		F.I	山の朝 PAN		16	12						
3			〃 朝日		19	3						
4			〃 八島高原	OL	27	8						
5			土器		28	1						
6			〃 PAN DOWN		35	7						
7			霧の高原		39	4						
8			〃 すずらん		41	2						
9			〃 つつじ		43	2						
10			〃 〃		46	3						
11			諏訪大社 神殿		56	10						
12			〃 拝殿		60	4						
13			溪流		62	2						
14			流れから PAN 逆		69	7						
15			道標		72	3						
16			道		74	2						
17			旧御射山 (標識)		77	3						
18			〃 の社		80	3						
19			〃 〃		82	2						
20			ニッポンキスゲ		84	2						
21			高原 zoom Back		92	8						
22			慈雲寺 (山門)		94	2						
23			〃 参道		96	2						
24			〃 庭の松		99	3						
25			〃 松から屋根へ zoom up		104	5						
26			〃 屋根		106	2						
27			御柱 PAN UP		108	2						
28			〃		114	6						
29			神殿 PAN		123	9						
30			山だし ロング		131	8						

呎数秒数表

秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm
1	0.6	1.5	11	6.6	16.5	21	12.6	31.5	31	18.6	46.5	41	24.6	61.5	51	30.6	76.5
2	1.2	3.	12	7.2	18.	22	13.2	33.	32	19.2	48.	42	25.2	63.	52	31.2	78.
3	1.8	4.5	13	7.8	19.5	23	13.8	34.5	33	19.8	49.5	43	25.8	64.5	53	31.8	79.5
4	2.4	6.	14	8.4	21.	24	14.4	36.	34	20.4	51.	44	26.4	66.	54	32.4	81.
5	3.	7.5	15	9.	22.5	25	15.	37.5	35	21.	52.5	45	27.	67.5	55	33.	82.5
6	3.6	9.	16	9.6	24.	26	15.6	39.	36	21.6	54.	46	27.6	69.	56	33.6	84.
7	4.2	10.5	17	10.2	25.5	27	16.2	40.5	37	22.2	55.5	47	28.2	70.5	57	34.2	85.5
8	4.8	12.	18	10.8	27.	28	16.8	42.	38	22.8	57.	48	28.8	72.	58	34.8	87.
9	5.4	13.5	19	11.4	28.5	29	17.4	43.5	39	23.4	58.5	49	29.4	73.5	59	35.4	88.5
10	6.	15.	20	12.	30.	30	18.	45.	40	24.	60.	50	30.	75.	60	36.	90.

No. 2

題名 御柱祭

35ミリ	カラ	シネスコ	トーキー
16ミリ	白黒	スタンダード	サイレント
巻 呎 分 m			

ロール	カット	F I	カ ッ ト 内 容	OL WP FO	延呎数	カット 呎数	秒 数	同 時	解 説	音 楽	現実音	備 考
	31		山並みの群衆		135	4						
	32		" 引綱		138	3						
	33		" " (移動)		151	13						
	34		" 神主		155	4						
	35		" "		161	6						
	36		" 町長 あいつ		166	5						
	37		" "		171	5						
	38		" "		186 59							
	39		" 綱わたり		180	4						
	40		" "		189	4						
	41		山		192	3						
	42		" 出発		202	10						
	43		" "		209	7						
	44		" 旗		210	1						
	45		" 行列		217	7						
	46		" 御柱の一群		220	3						
	47		" 川沿いの行列		224	4						
	48		" 川		226	2						
	49		" 山ありと行く行列		231	5						
	50		" 木 造 (ヤリ)		234	3						
	51		" テコ衆と御柱		247	13						
	52		" "		251	4						
	53		" 御柱の上の人々		259	8						
	54		" 行列		263	4						
	55		" 引く人の up		266	3						
	56		" " 列		276	10						
	57		" "		280	4						
	58		" " 403		284	4						
	59		" 引綱		292	8						
	60		" 引く人		298	6						

呎数秒数表

秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm
1	0.6	1.5	11	6.6	16.5	21	12.6	31.5	31	18.6	46.5	41	24.6	61.5	51	30.6	76.5
2	1.2	3.	12	7.2	18.	22	13.2	33.	32	19.2	48.	42	25.2	63.	52	31.2	78.
3	1.8	4.5	13	7.8	19.5	23	13.8	34.5	33	19.8	49.5	43	25.8	64.5	53	31.8	79.5
4	2.4	6.	14	8.4	21.	24	14.4	36.	34	20.4	51.	44	26.4	66.	54	32.4	81.
5	3.	7.5	15	9.	22.5	25	15.	37.5	35	21.	52.5	45	27.	67.5	55	33.	82.5
6	3.6	9.	16	9.6	24.	26	15.6	39.	36	21.6	54.	46	27.6	69.	56	33.6	84.
7	4.2	10.5	17	10.2	25.5	27	16.2	40.5	37	22.2	55.5	47	28.2	70.5	57	34.2	85.5
8	4.8	12.	18	10.8	27.	28	16.8	42.	38	22.8	57.	48	28.8	72.	58	34.8	87.
9	5.4	13.5	19	11.4	28.5	29	17.4	43.5	39	23.4	58.5	49	29.4	73.5	59	35.4	88.5
10	6.	15.	20	12.	30.	30	18.	45.	40	24.	60.	50	30.	75.	60	36.	90.

No. 3

題名

御柱祭

35ミリ	カラー	シネスコ	トーキー
16ミリ	白黒	スタンダード	サイレント
巻 呎 分 m			

ロール	カット	F I	カ ッ ト 内 容	OL WP FO	延呎数	カット 呎数	秒 数	同 時	解 説	音 楽	現実音	備 考
61			雪の諏訪入社		301	3						
62			"		302	1						
63			綱打		305	3						
64			から打		308	3						
65			綱をよ		311	3						
66			" ロング		317	6						
67			綱をよ		324	7						
68			"		332	8						
69			山		334	2						
70			山だし、山道を行く一行		338	4						
71			" 稗のしりて		340	2						
72			" " 行列		343	3						
73			" 水にうつり行列		346	3						
74			" 石仏と行列		352	6						
75			" "		356	4						
76			" 太陽と旗		359	3						
77			" 萩倉部落		364	5						
78			" 引く人		371	7						
79			" 木造		376	5						
80			" "		383	7						
81			" "		390	7						
82			" 曳行		395	5						
83			" " 女性		401	6						
84			" 引く人		407	6						
85			" テコ衆		412	5						
86			" "		416	4						
87			" 方向転換 ロング		421	5						
88			" "		426	5						
89			" テコ手		430	4						
90			" 御柱 zoom Back K		444	14						

呎数秒数表

秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm
1	0.6	1.5	11	6.6	16.5	21	12.6	31.5	31	18.6	46.5	41	24.6	61.5	51	30.6	76.5
2	1.2	3.	12	7.2	18.	22	13.2	33.	32	19.2	48.	42	25.2	63.	52	31.2	78.
3	1.8	4.5	13	7.8	19.5	23	13.8	34.5	33	19.8	49.5	43	25.8	64.5	53	31.8	79.5
4	2.4	6.	14	8.4	21.	24	14.4	36.	34	20.4	51.	44	26.4	66.	54	32.4	81.
5	3.	7.5	15	9.	22.5	25	15.	37.5	35	21.	52.5	45	27.	67.5	55	33.	82.5
6	3.6	9.	16	9.6	24.	26	15.6	39.	36	21.6	54.	46	27.6	69.	56	33.6	84.
7	4.2	10.5	17	10.2	25.5	27	16.2	40.5	37	22.2	55.5	47	28.2	70.5	57	34.2	85.5
8	4.8	12.	18	10.8	27.	28	16.8	42.	38	22.8	57.	48	28.8	72.	58	34.8	87.
9	5.4	13.5	19	11.4	28.5	29	17.4	43.5	39	23.4	58.5	49	29.4	73.5	59	35.4	88.5
10	6.	15.	20	12.	30.	30	18.	45.	40	24.	60.	50	30.	75.	60	36.	90.

No. 4

題名 御柱祭

35ミリ	カラ	シネスコ	トーキー
16ミリ	白黒	スタンダード	サイレント
巻	呎	分	m

ロール	カット	F I	カ ッ ト 内 容	OL WP FO	延呎数	カット 呎数	秒 数	同 時	解 説	音 楽	現実音	備 考
91			山だし 散倉部屋		447	3						
92			" 引く人		454	7						
93			" " 群衆		458	4						
94			" 陣の序		462	4						
95			" 男の子供		469	7						
96			" 木造とし 斜面		479	10						
97			" "		483	4						
98			" " 知事と町長		487	4						
99			" " 観衆		488	1						
100			" " "		489	1						
101			" " "		491	2						
102			" " 木造		495	4						
103			" " オペ		500	5						
104			" " 御柱		503	3						
105			" "		508	5						
106			" 流れる観衆		510	2						
107			" 前進移動		521	13						
108			" 御柱と群衆		524	1						
109			" 木造		525	1						
110			" 御柱 アタマも出る		527	2						
111			" "		529	2						
112			" 群衆と御柱		535	6						
113			" "		538	3						
114			" 御柱		543	5						
115			" "		545	2						
116			" 観衆		546	1						
117			" 木造とし		553	7						
118			" " Zoom Back		568	15						
119			" 観衆		572	4						
120			" 大群衆		580	8						

呎数秒数表

秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm
1	0.6	1.5	11	6.6	16.5	21	12.6	31.5	31	18.6	46.5	41	24.6	61.5	51	30.6	76.5
2	1.2	3.	12	7.2	18.	22	13.2	33.	32	19.2	48.	42	25.2	63.	52	31.2	78.
3	1.8	4.5	13	7.8	19.5	23	13.8	34.5	33	19.8	49.5	43	25.8	64.5	53	31.8	79.5
4	2.4	6.	14	8.4	21.	24	14.4	36.	34	20.4	51.	44	26.4	66.	54	32.4	81.
5	3.	7.5	15	9.	22.5	25	15.	37.5	35	21.	52.5	45	27.	67.5	55	33.	82.5
6	3.6	9.	16	9.6	24.	26	15.6	39.	36	21.6	54.	46	27.6	69.	56	33.6	84.
7	4.2	10.5	17	10.2	25.5	27	16.2	40.5	37	22.2	55.5	47	28.2	70.5	57	34.2	85.5
8	4.8	12.	18	10.8	27.	28	16.8	42.	38	22.8	57.	48	28.8	72.	58	34.8	87.
9	5.4	13.5	19	11.4	28.5	29	17.4	43.5	39	23.4	58.5	49	29.4	73.5	59	35.4	88.5
10	6.	15.	20	12.	30.	30	18.	45.	40	24.	60.	50	30.	75.	60	36.	90.

35ミリ	カラー	シネスコ	トーキー
16ミリ	白黒	スタンダード	サイレント
巻		呎分	
		m	

No. 5

題名

ロール	カット	F I	カ ッ ト 内 容	OL WP FO	延呎数	カット 呎数	秒 数	同 時	解 説	音 楽	現実音	備 考
	121		山なし 実行		590	10						
	122		" "		592	2						
	123		桜 (花月公園)		595	3						
	124		" "		601	6						
	125		" "		605	4						
	126		" "		607	2						
	127		湖へ Zoom up		612	5						
	128		みずへ公園		616	4						
	129		" "		621	5						
	130		" "		623	2						
	131		諏訪 全景		628	5						
	132		諏訪 天社 (木造大会)		634	6						
	133		" "		641	7						
	134		" "		644	3						
	135		" ウツハ平		648	4						
	136		里ひき 木おとし		656	8						
	137		" 実行		658	2						
	138		" 観衆		659	1						
	139		" 実行		661	2						
	140		" 御柱		668	7						
	141		" 実行		675	7						
	142		" ホレト		686	11						
	143		" "		695	9						
	144		" 鼓笛隊		700	5						
	145		" "		708	8						
	146		" "		715	7						
	147		" 騎馬行列 (やつ)		718	3						
	148		" " "		723	5						
	149		" "		728	5						
	150		" "		735	7						

呎数秒数表

秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm
1	0.6	1.5	11	6.6	16.5	21	12.6	31.5	31	18.6	46.5	41	24.6	61.5	51	30.6	76.5
2	1.2	3.	12	7.2	18.	22	13.2	33.	32	19.2	48.	42	25.2	63.	52	31.2	78.
3	1.8	4.5	13	7.8	19.5	23	13.8	34.5	33	19.8	49.5	43	25.8	64.5	53	31.8	79.5
4	2.4	6.	14	8.4	21.	24	14.4	36.	34	20.4	51.	44	26.4	66.	54	32.4	81.
5	3.	7.5	15	9.	22.5	25	15.	37.5	35	21.	52.5	45	27.	67.5	55	33.	82.5
6	3.6	9.	16	9.6	24.	26	15.6	39.	36	21.6	54.	46	27.6	69.	56	33.6	84.
7	4.2	10.5	17	10.2	25.5	27	16.2	40.5	37	22.2	55.5	47	28.2	70.5	57	34.2	85.5
8	4.8	12.	18	10.8	27.	28	16.8	42.	38	22.8	57.	48	28.8	72.	58	34.8	87.
9	5.4	13.5	19	11.4	28.5	29	17.4	43.5	39	23.4	58.5	49	29.4	73.5	59	35.4	88.5
10	6.	15.	20	12.	30.	30	18.	45.	40	24.	60.	50	30.	75.	60	36.	90.

35ミリ	カラー	シネスコ	トーキー
16ミリ	白黒	スタンダード	サイレント
巻 呎 分 m			

No. 6

題名

御柱祭

ロール	カット	F I	カ ッ ト 内 容	OL WP FO	延呎数	カット 呎数	秒 数	同 時	解 説	音 楽	現実音	備 考
151			騎馬行列 (マツ)		740	5						
152			" "		745	5						
153			騎馬		749	4						
154			" " 殿様		751	2						
155			" "		757	6						
156			" " 二階の観衆		760	3						
157			" " 長もち行列 マツ		763	3						
158			" "		768	5						
159			" " P-770 号		771	3						
160			" " " "		772	1						
161			" " " "		775	3						
162			" " "		777	2						
163			" "		783	6						
164			" "		789	6						
165			" " 子供		794	5						
166			" " マツ		800	6						
168			" 御柱の曳行		809	9						
168			" "		814	5						
169			" "		819	5						
170			" "		824	5						
171			" " 田舎		827	3						
172			" " マツ PAN		833	6						
173			" 大社 境内 (式)		836	3						
174			" " 神主 (")		838	2						
175			" " 式		845	7						
176			" " 冠おとし		848	3						
177			" " "		851	3						
178			" " "		855	4						
179			" " "		859	4						
180			" " 曳行		865	6						

呎数秒数表

秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm	秒	16mm	35mm
1	0.6	1.5	11	6.6	16.5	21	12.6	31.5	31	18.6	46.5	41	24.6	61.5	51	30.6	76.5
2	1.2	3.	12	7.2	18.	22	13.2	33.	32	19.2	48.	42	25.2	63.	52	31.2	78.
3	1.8	4.5	13	7.8	19.5	23	13.8	34.5	33	19.8	49.5	43	25.8	64.5	53	31.8	79.5
4	2.4	6.	14	8.4	21.	24	14.4	36.	34	20.4	51.	44	26.4	66.	54	32.4	81.
5	3.	7.5	15	9.	22.5	25	15.	37.5	35	21.	52.5	45	27.	67.5	55	33.	82.5
6	3.6	9.	16	9.6	24.	26	15.6	39.	36	21.6	54.	46	27.6	69.	56	33.6	84.
7	4.2	10.5	17	10.2	25.5	27	16.2	40.5	37	22.2	55.5	47	28.2	70.5	57	34.2	85.5
8	4.8	12.	18	10.8	27.	28	16.8	42.	38	22.8	57.	48	28.8	72.	58	34.8	87.
9	5.4	13.5	19	11.4	28.5	29	17.4	43.5	39	23.4	58.5	49	29.4	73.5	59	35.4	88.5
10	6.	15.	20	12.	30.	30	18.	45.	40	24.	60.	50	30.	75.	60	36.	90.

No. 7

題名 御柱祭

35ミリ	カラー	シネスコ	トーキー
16ミリ	白黒	スタンダード	サイレント
巻		呎	分 m

ロール	カット	F I	カ ッ ト 内 容	OL WFO	延呎数	カット 呎数	秒 数	同時	解説	音 楽	現実音	備 考
181			" " 曳行		873	8						
182			" " "		877	4						
183			" " 木遣		881	4						
184			" " ワイヤ-を巻く		884	3						
185			" " 建御柱		888	4						
186			" " " ロ-7"		895	7						
187			" " ワイヤ-を巻く.		900	5						
188			" " 御柱		903	3						
189			" " 観衆		905	2						
190			" " "		906	1						
191			" 観衆から御柱へ		914	8						
192			" "		915	1						
193			" "		917	2						
194			" 建御柱		922	5						
195			" "		926	4						
196			" "		930	4						
197			" "		933	3						
198			" "		937	4						
199			" 観衆から御柱へ		943	6						
200			" 御柱		949	6						
201			" "		951	2						
202			" "		957	6						
203			" "		959	2						
204			" "		962	3						
205			" "		968	6						
206			" 観衆		972	4						
207			" 帰る人々から鳥居		981	9						
208			" 御柱		984	3						
209			" "		988	4						
210			" "		991	3						

呎 数 秒 数 表

御柱祭

秒	16 mm	35 mm	秒	16 mm	35 mm	秒	16 mm	35 mm	秒	16 mm	35 mm	秒	16 mm	35 mm	秒	16 mm	35 mm
1	0.6	1.5	11	6.6	16.5	21	12.6	31.5	31	18.6	46.5	41	24.6	61.5	51	30.6	76.5
2	1.2	3.	12	7.2	18.	22	13.2	33.	32	19.2	48.	42	25.2	63.	52	31.2	78.
3	1.8	4.5	13	7.8	19.5	23	13.8	34.5	33	19.8	49.5	43	25.8	64.5	53	31.8	79.5
4	2.4	6.	14	8.4	21.	24	14.4	36.	34	20.4	51.	44	26.4	66.	54	32.4	81.
5	3.	7.5	15	9.	22.5	25	15.	37.5	35	21.	52.5	45	27.	67.5	55	33.	82.5
6	3.6	9.	16	9.6	24.	26	15.6	39.	36	21.6	54.	46	27.6	69.	56	33.6	84.
7	4.2	10.5	17	10.2	25.5	27	16.2	40.5	37	22.2	55.5	47	28.2	70.5	57	34.2	85.5
8	4.8	12.	18	10.8	27.	28	16.8	42.	38	22.8	57.	48	28.8	72.	58	34.8	87.
9	5.4	13.5	19	11.4	28.5	29	17.4	43.5	39	23.4	58.5	49	29.4	73.5	59	35.4	88.5
10	6.	15.	20	12.	30.	30	18.	45.	40	24.	60.	50	30.	75.	60	36.	90.

35ミリ	カラー	シネスコ	トーキー
16ミリ	白 黒	スタンダード	サイレント
巻 沢 分 m			

[illegible]