




Actiphy License Rule Book

7th Edition (July 2026)

Contents

ActiveImage Protector Basic License Rule	4
ActiveImage Protector 2022 Server	4
ActiveImage Protector 2022 Desktop	4
ActiveImage Protector 2022 Linux	4
ActiveImage Protector 2022 Virtual	5
ActiveImage Protector 2022 Server vPack	5
ActiveImage Protector 2022 Cloud	5
ActiveImage Protector 2022 Cluster	6
ActiveImage Protector 2022 IT Pro	6
 Irregular Cases	 7
Standby Machine, a Duplicate of an Active Machine, Is Deployed	7
Migrate Data from Disk to Disk and Connect It to a Different Computer	7
Backing Up Network Shared Folders	7
 License Migration, Redundancy, etc.	 8
Migration of a License from Physical to Physical	8
Migration of a License from Physical to Virtual	8
1. Virtualization of Physical Machine	8
~If You Do Not Have a Perpetual ActiveImage Protector License for a Physical Server~	8
~If a Perpetual-Licensed Copy of ActiveImage Protector Is Installed on the Physical Server~	8
2. Physical Machine Redundancy	9
Migration of a License from Virtual to Virtual	9
1. Migration of Virtual Machine	9
~If You Do Not Have a Perpetual ActiveImage Protector License for a Virtual Server~	9
~If a Perpetual-Licensed Copy of ActiveImage Protector Is Installed on the Virtual Server ~	9
2. Virtual Machine Redundancy	9
Migration of Physical / Virtual Machine to Cloud	10
1. Migration of Physical Machine to Cloud.....	10
~If You Do Not Have a Perpetual ActiveImage Protector License for a Physical Server~	10
~If a Perpetual-Licensed Copy of ActiveImage Protector Is Installed on the Physical Server~	10
2. Migration of Virtual Machine to the Cloud.....	10
~If You Do Not Have a Perpetual ActiveImage Protector License for a Virtual Server~	10
~If a Perpetual-Licensed Copy of ActiveImage Protector Is Installed on the Virtual Server~	11
Use Backup Files to Deploy Redundant Virtual Machines	11
HCI Environment	11
Cluster Environments Configured with Three or More Nodes	12
Redundancy of Virtual Machines Backed Up Using Agentless Backup	12
License Migration Between Hypervisor Hosts	12
Backing Up HyperAgent	13

Backing Up Client OS on Which Virtual Environment Is Configured	13
Restrictions on the Use of BE Media Created Using Actiphy Boot Environment Builder	14
Licensed Use of ActiveImage Protector IT Pro	14
 Actiphy Rapid Deploy Basic License Rule	 15
Actiphy Rapid Deploy.....	15
Actiphy Rapid Deploy Plus.....	15
 Reference	 17

ActiveImage Protector Basic License Rule

ActiveImage Protector 2022 **Server**

1 license is required to back up 1 physical server (Windows).


- * 1 license of ActiveImage Protector 2022 Virtual is required to back up 1 virtual host (Hyper-V).



ActiveImage Protector 2022 **Desktop**

1 license is required to back up 1 physical desktop PC (Windows).

- * A Server license is required for backups, such as NAS backups, that are accessed and used from multiple environments.



ActiveImage Protector 2022 **Linux**

1 license is required to back up 1 physical server (Linux).

- * 1 license of ActiveImage Protector 2022 Virtual is required to back up 1 virtual host (Linux KVM)




ActiveImage Protector 2022 **Virtual**

1 licensed copy of ActiveImage Protector Virtual can be applied to one hypervisor host.


There are no restrictions on the number of Windows / Linux virtual machines running on a single licensed hypervisor host.

* On HCI environments, ActiveImage Protector 2022 Virtual licenses are required on all configured hypervisors.




ActiveImage Protector 2022 **Server vPack**

1 license is required to back up a maximum of 5 Windows / Linux virtual machines with no restrictions on the type of hypervisor.



ActiveImage Protector 2022 **Cloud**

1 license is required to back up a maximum of 5 Windows / Linux virtual machines running on public cloud environment (AWS / Azure/ GCP / OCI).




ActiveImage Protector 2022 **Cluster**

1 license is required to back up one cluster physical machine, configured with 2 nodes.

When one cluster group is configured with 3 or more nodes, 2+n additional node licenses are required.


- * When performing backup by virtual machine on a Hyper-V cluster environment, ActiveImage Protector 2022 Virtual licenses are required for each cluster node.



ActiveImage Protector 2022 **IT Pro**

1 license per IT Professional allows for use on an unlimited number of machines for one year.

Installation to the backup source is not allowed.




Irregular Cases

Standby Machine, a Duplicate of an Active Machine, Is Deployed

Standby machine, a duplicate of an active machine, is deployed.

The standby machine, even when normally powered off, is a switch over for the active machine in the event of emergency, you need to purchase 2 licenses, one for the active and standby machines.



Migrate Data from Disk to Disk and Connect It to a Different Computer

Migrating a system from a hard disk on a computer with ActiveImage Protector installed to another machine using the Disk-to-Disk copy feature, requires an additional license.


For example, if you copy a system disk and then connect it to a different machine for operation, you need to purchase additional ActiveImage Protector licenses.



Backing Up Network Shared Folders

There are no limitations when targeting network shared files or folders for backup from a licensed ActiveImage Protector environment, you can back them up. (Excluding Desktop and Linux Editions)

* This is only for file backup.




License Migration, Redundancy, etc.

Migration of a License from Physical to Physical

When migrating an ActiveImage Protector licensed physical server to a new physical server, the license is valid to use on the migrated server on the condition that the migration source server shall be disposed of.

If the migration source server is running in parallel, please purchase a subscription license for the parallel operation of the migration source server.




Migration of a License from Physical to Virtual

1. Virtualization of Physical Machine

~If You Do Not Have a Perpetual ActiveImage Protector License for a Physical Server~


A perpetual-licensed copy of ActiveImage Protector Server / Linux has to be installed on the migration source server and a perpetual- licensed copy of ActiveImage Protector Virtual on the migration target server.

When migrating to virtual environment, a perpetual-licensed copy of ActiveImage Protector Virtual has to be installed on the migration target.




~If a Perpetual-Licensed Copy of ActiveImage Protector Is Installed on the Physical Server~

Another perpetual-licensed copy of ActiveImage Protector Virtual is required on migration target for migration operations.



2. Physical Machine Redundancy

When installing a licensed copy of ActiveImage Protector on the physical server and when implementing the system redundancy by using vStandby feature, since ActiveImage Protector is installed on the created standby virtual machine, you need to purchase another ActiveImage Protector Virtual license on the redundant destination host.




If you already have ActiveImage Protector Virtual license on hypervisor on which standby server is configured, you do not have to purchase additional license.

Migration of a License from Virtual to Virtual

1. Migration of Virtual Machine


~If You Do Not Have a Perpetual ActiveImage Protector License for a Virtual Server~

One licensed copy of ActiveImage Protector Virtual is required on migration source virtual server and perpetual-licensed copy of ActiveImage Protector Virtual on migration target virtual server.




~If a Perpetual-Licensed Copy of ActiveImage Protector Is Installed on the Virtual Server ~

Another perpetual-licensed copy of ActiveImage Protector Virtual is required on migration target for migration operations.



2. Virtual Machine Redundancy

When configuring the redundant virtual machine from ActiveImage Protector licensed host to another host by using vStandby, etc., ActiveImage Protector Virtual is required on the redundant host.




Migration of Physical / Virtual Machine to Cloud

1. Migration of Physical Machine to Cloud


~If You Do Not Have a Perpetual ActiveImage Protector License for a Physical Server~

One perpetual-licensed copy of ActiveImage Protector Server is required on migration source physical server and one perpetual-licensed copy of ActiveImage Protector Cloud on virtual server on migration target cloud.



~If a Perpetual-Licensed Copy of ActiveImage Protector Is Installed on the Physical Server~


One perpetual-licensed copy of ActiveImage Protector Cloud is required on the migration target for migration operation.



2. Migration of Virtual Machine to the Cloud

~If You Do Not Have a Perpetual ActiveImage Protector License for a Virtual Server~


One perpetual-licensed copy of ActiveImage Protector Virtual is required on the migration source virtual server and ActiveImage Protector Cloud on the virtual server in migration target cloud.




~If a Perpetual-Licensed Copy of ActiVImage Protector Is Installed on the Virtual Server~

One perpetual-licensed copy of ActiVImage Protector Cloud is required on the virtual server in the migration target cloud for migration operations.

Migration of the licensed copy of ActiVImage Protector Virtual to virtual server in cloud service is not allowed.




However, installation of a licensed copy of ActiVImage Protector Virtual on on-premises virtual server and ActiVImage Protector Cloud on server in cloud service allows free implementation of the system migration between virtual environment and cloud environment without the need to replace the licenses.



Use Backup Files to Deploy Redundant Virtual Machines


When implementing redundant system environment with HyperStandby / vStandby AIP by using the backup files created by the installed copy of ActiVImage Protector, another licensed copy of ActiVImage Protector Virtual is required on the standby machine.

If the hypervisor on which the standby server is configured has a licensed copy of ActiVImage Protector Virtual, no additional license is required.



HCI Environment


On HCI environments, ActiVImage Protector 2022 Virtual licenses are required on all configured hypervisors.



Cluster Environments Configured with Three or More Nodes

Dedicated additional node licenses are required for cluster environments having 3 or more nodes in the same group.

Additional node licenses cannot be normally activated on different cluster groups.




Redundancy of Virtual Machines Backed Up Using Agentless Backup

When performing agentless backup of virtual machines using HyperAgent, ActiveImage Protector is not installed on the virtual machines and is not contained in backup image files.


Therefore, no additional license is required even when a redundant machine is created with HyperStandby.

However, when backing up a redundant virtual machine, if the hypervisor of the redundant machine is unlicensed, a separate license is required.



License Migration Between Hypervisor Hosts

When migrating from an existing virtual machine to a new virtual machine configured on ActiveImage Protector licensed host, and if the host is licensed with ActiveImage Protector Virtual, no more additional license is required according to the rule that one license is required on one host.





Backing Up HyperAgent

When using ActiveImage Protector Virtual for activation of product key for backing up virtual guests and for agentless backup operation, at least one HyperAgent must be installed on one machine connectable to the virtual host.

When installing HyperAgent on a licensed host or on a virtual machine on that host, HyperAgent itself can be backed up for the number of valid licenses.

When performing agentless backup using HyperAgent installed on a virtual server on a different host or physical server, HyperAgent itself can be backed up for the number of times of valid licenses of ActiveImage Protector Virtual.




- * If you do not perform backup operation using HyperAgent, another licensed copy of ActiveImage Protector is required to back up HyperAgent itself.

Backing Up Client OS on Which Virtual Environment Is Configured

When host-based virtual environment (VMware Workstation, etc.) is configured on client OS (Windows 11, etc.), ActiveImage Protector Server vPack license is required to back up the virtual environment.

If you also need to back up the client OS as the virtual host, you need to purchase additional ActiveImage Protector Desktop license.




- * ActiveImage Protector Desktop license alone does not allow you to back up the entire host system.

Restrictions on the Use of BE Media Created Using Actiphy Boot Environment Builder

BE media created by using Actiphy Boot Environment Builder included in ActiveImage Protector is allowed to boot up the system and use on the machine which ActiveImage Protector license is applied.

Linux-based boot media can be used only on Windows / Linux OS machine, while Windows PE/RE-based boot media can be used in Windows OS licensed environment (every features including System Recovery / Cold Backup / File Recovery are supported).



Licensed Use of ActiveImage Protector IT Pro

ActiveImage Protector IT Pro is licensed to an individual.

Registered IT Professional can perform tasks such as backup, recovery, and migration via manual operation for one year, without any limit on the number of machines.

You cannot create multiple copies of the ActiveImage Protector IT Pro media and use them simultaneously.




Furthermore, registered engineers may not lend or transfer their licenses to other engineers.

Actiphy Rapid Deploy Basic License Rule

Actiphy Rapid Deploy

The licensed company is allowed to perform deployment of the source image for the number of times of the purchased licenses (100 times per 100 licenses).

- * Only the company who purchased the license is allowed to create source images for an unlimited number of times.
- * Whether a source Image is deployed to client PCs via a Network or by using Deploy USB, 1 license is consumed for one deployment to one target client PC.



By subscribing to the Support Service from the following fiscal year onward, licenses consumed during the previous period will be automatically replenished around September each year, starting from the year following the initial license purchase.


For example, if 100 licenses were purchased and 70 licenses have been consumed, an additional 70 licenses will be automatically replenished. These additional licenses can be used for purposes such as redeployment required due to Windows updates on PCs covered by the license.

If you need to redeploy the source image to the target PC multiple times within a year, please contact Actiphy.

Actiphy Rapid Deploy Plus

Actiphy Rapid Deploy Plus provides two license types. In addition to the license for deployment, the licensed company can create Restore media embedded with a source image.

This allows personal computers to be shipped with an easy-to-use recovery tool (Restore USB media), enabling end-users to restore their PCs to factory settings with a single click.



Only SI vendors who has shipping address list are entitled to purchase Actiphy Rapid Deploy Plus. For more details of the range of licensed right, please refer to the following.

- Deployment of the created source image (100 licenses are required for 100 deployments of the created source image)
 - * Only the owner of the license is allowed to create a source image for unlimited number of times.
 - * Whether a source image is deployed to client PCs via a Network or by using Deploy USB, 1 license is consumed for one deployment to one target client PC.
- Create Restore media to be shipped with personal computers.
 - * The licensed company is not allowed to use the Restore media.
- With Actiphy Rapid Deploy™ Plus, the end users of the PCs shipped by the licensed SI vendor can use the Restore media attached and shipped with the PCs, enabling the end-users to restore the PCs shipped by the licensed SI vendor to factory settings with a single click for unlimited number of times.
 - * With the Restore media, the users are not allowed to create a source image.

Actiphy Rapid Deploy Basic License Rule

By subscribing to the Support Service from the following fiscal year onward, licenses consumed during the previous period will be automatically replenished around September each year, starting from the year following the initial license purchase.

For example, if 100 licenses were purchased and 70 licenses have been consumed, an additional 70 licenses will be automatically replenished. These additional licenses can be used for purposes such as redeployment required due to Windows updates on PCs covered by the license.

If you need to redeploy the source image to the target PC multiple times within a year, please contact Actiphy.

Reference

For any inquiries about the licenses of ActiveImage Protector and Actiphy Rapid Deploy, please contact:

Global Sales Dept., Actiphy Inc.

E-mail: global-sales@actiphy.com

(Phone) +81-3-5256-0877 (FAX) +81-3-5256-0878

Knowledge Base: <https://actiphyhelp.zendesk.com/hc/en-us>

Copyright © 2026 Actiphy, Inc. Actiphy, Inc. All rights reserved.

ActiveImage Protector and related documents are proprietary products copyrighted by Actiphy, Inc.

Other brands and product names mentioned in this guide are trademarks or registered trademarks of their respective holders.