

Actiphy

ActiveImage™ 2022 PROTECTOR

Product Summary

October 2026

Actiphy, Inc.

What is ActiveImage Protector 2022?

A Data and System Protection Solution supporting physical, virtual and cloud environments

ActiveImage Protector™ backs up the entire Windows / Linux server including the OS, applications, and data files to a disk image and protects the entire system. In the event of a disaster, ActiveImage Protector™ restores the entire system via an intuitive software operation. ActiveImage Protector™ provides a variety of features that meet and exceed a wide range of customers' needs, enabling the creation of standby virtual machines of your physical or virtual machines ready for an immediate startup or immediately booting backup images as virtual machines to resume system operation.

Main Features of ActiveImage Protector 2022

- Protect the entire system
- Flexible restore feature
- A variety of Storage Media are supported
- Safely protect backup files
- Support for virtual environment
- Support for Cloud environment
- Flexible Scheduled Backup
- Standby availability solution
- GUI provides tools for efficient operations








Protect the entire system

Protects the entire physical and virtual, Windows/Linux across on-premises and cloud environments including the OS, applications, and data.

Back up the entire system

ActiveImage Protector™ backs up the entire physical and virtual, Windows / Linux across on-premises and cloud environments including the OS, applications, and data to a disk image. ActiveImage Protector™ provides File / Folder Recovery feature that restores granularly selected files and folders from a backup image.


Back up the entire system



File / Folder Backup

File / Folder Backup is provided to back up granularly selected files and folders. Block based backup data are saved in a backup file. ActiveImage Protector™ also provides incremental backup feature and backup of a shared folder.

Backup of a network shared folder




Flexible restore feature (1)

Flexible restore feature using a backup file

Flexible restore feature restores the entire system, specific volume or file / folder

ActiveImage Protector provides flexible Recovery feature enabling you to restore the entire system from a backup in the event of an emergency. The built-in wizards guide you through every step to ensure recovery from the backup image file. You can also granularly select a specific volume or file / folder from a backup image and restore.


Flexible restore feature



Restore to physical / virtual machines with different hardware configuration

In the event of an emergency, select a backup image to quickly restore to a physical machine with different hardware configuration, VMware vSphere, Microsoft Hyper-V, Linux KVM, Proxmox virtual machine or a virtual machine on cloud.

Restore to a physical / virtual machine with different hardware configuration



Flexible restore feature (2)

New Recovery feature improves conveniences and reduces recovery process time

One-click offers system recovery


QuickRecovery automatically starts recovery environment without the need for boot environment media. Boot up the recovery environment and select a specific recovery point. When system restoration fails due to a software problem, recovery process completes on the restore target machine.

Traditional system recovery

- Boot up boot environment
- Select destination storage
- Select recovery point
- Select restore target
- Run recovery task

QuickRecovery


- Boot up QuickRecovery
- Select Recovery Point
- Run recovery task



Remote console is provided to remotely perform restore operations

RescueBoot can be started from remote console to operate in boot environment. System administrators can now restore the failed system in RescueBoot via VNC instead of the local machine, in the event of a software failure.

VNC viewer provided for remote operation



Flexible restore feature（3）

Convenient Boot Environment Builder

Actiphy BE Builder（Boot Environment Builder）

ActiveImage Protector™ comes with boot environment builder for building a Windows-based boot environment when restoring the system or performing cold backup. You can use a standard Windows RE (recovery environment) based boot environment to build a boot environment. The Boot Environment Builder automatically detects required drivers, so
that you can select the required drivers to install in the media thereby reducing IT engineers' workload.


Build a boot environment by using Boot Environment Builder



Recovery Media Maker

Media Maker feature enables to create bootable recovery media with the backup source machine's image embedded for an ideal disaster recovery (DR) solution.
Recovery can be performed on dedicated recovery media alone, allowing recovery work to be performed even when the network is not available, when the shared folder is not accessible or when USB media cannot be brought to the site.

Recovery Media Maker enables to create bootable recovery media



Click R button on the console window




A variety of Storage Media are supported (1)

Save your backups to any available storage location depending on the system configuration and backup policies

A variety of Storage Media are supported to save backup files

A variety of Storage Media are supported ranging from USB HDD to cloud object storage depending on the system configuration and backup policies.


A variety of Storage Media




Backup files are directed to cloud storage

Backups can be directed to cloud storage. Offsite Replication tasks can be scheduled to replicate the created backup files to offsite replication target. The backups located in the secondary storage can be utilized as the most effective BCP countermeasure in the event of ransomware attack or when a disaster strikes.

Backups are directed to cloud storage



Secondary Storage on cloud




A variety of Storage Media are supported (2)

BCP countermeasure using cloud storage

Restore a backup file to local site

Restore a backup file of on-premises source machine saved in cloud storage directly to the original state. You do not need to deploy a storage device at the local site to download the backup file.


Restore a backup file of failed server



Restore a backup file to remote site

In the event of an emergency, directly restore a backup file to a restore target virtual machine at on-premises remote site, which provides inexpensive BCP countermeasure.

Restore a backup file to virtual machine at remote site



A variety of Storage Media are supported (3)

Backup storage designed exclusively for ActiveImage Protector™: Actiphy ImageServer™


Actiphy ImageServer™ enables to add a bucket on server of the destination storage dedicated to ActiveImage Protector™ backup operation. Actiphy ImageServer™ uses QUIC protocol for backup data communication with ActiveImage Protector™, eliminating the need to use a Windows shared folder to save backups in a bucket. Actiphy ImageServer™ is also featured with deduplication technology that significantly reduces the storage requirements for backups, as well as Workflow feature that enables efficient management of post-backup tasks such as consolidation, replication, verification, and boot checks.

Substantially reduce destination bucket storage requirements

The deduplication feature divides backup data into blocks and saves only the blocks that are not already stored in the bucket. Thus, duplicate data are minimized and the backup storage requirements are significantly reduced. Actiphy ImageServer™ supports the combined use of its Deduplication feature with ActiveImage Protector™'s Deduplication Compression feature.

Efficiently manage the created backup images

Workflow feature allows you to register image processing tasks, i.e., Verify, Replication, Consolidation, and BootCheck tasks as stages and configure their processing order and execution time windows. For example, you can schedule and configure processing to meet your requirements, such as running Verify task when a backup is created, Replication task in night-time hours, and BootCheck task on weekends. You can drag and drop the stages to reorder, providing a visual representation of the processing flow.



Safely protect backup files (1)


Secure countermeasures against cyber attack including ransomware to backup files

Destination Isolation Option

Enabling Destination Isolation Option takes the destination storage offline or disconnects network access to backup image storage drives after backups complete rendering the specified destination storage inaccessible from virus attack including ransomware. The following four options are provided to isolate the storage.

- Un-assign the drive letter from the local hard disk after completing the backup
- Take the destination local hard disk offline after completing the backup
- Eject the destination USB hard disk after completing the backup
- Disable the destination network connection after completing the backup


Disconnection of LAN for backup operation



Distributed storages for backup files

Offsite Replication tasks can be scheduled to replicate the created backup files to distributed offsite replication storages including local disk, network shared folder, FTP, SFTP, WebDAV, Amazon S3, Azure Storage, Wasabi, Distribution of backup files increases the security level.

Distributed storages for backup files




Safely protect backup files (2)

Protect the backup image files from being compromised by a ransomware attack

Object-lock enabled storage is supported

Object lock-enabled bucket on Wasabi Hot Cloud Storage is supported to use as the destination storage, which can reduce potential risk of cyber attacks including ransomware. The backups saved in the object-enabled storage is supported to restore.


Backups are directed to Wasabi Hot Cloud Storage



Backups are directed to LTO tapes suited for offline storage

Backups can be directed to LTO tape to provide offline storage. Distributed backup storages increases the security level and reduces potential ransomware attacks to backup files. In the event of an emergency, backups in LTO tape can be used to restore the system.

Backups are directed to LTO tape



Safely protect backup files (3)


Actiphy ImageReplicator : A dedicated replication solution for ActiveImage Protector backup images

Actiphy ImageReplicator, a standalone software add-on, automatically replicates ActiveImage Protector backup images to different storages at remote site. Replication of backup data to remote storages can protect critical backup data from risks such as hardware failures, human errors, as well as data tampering or encryption caused by ransomware attack, enhancing backup data protection and availability.

Web console for centralized management of replication tasks

Web console provides tools for centralized management and enables intuitive operation for Replication settings, real-time monitoring of task execution status / log information, copy / delete backup data, etc. Replication tasks automatically run according to the predefined schedules to eliminate manual operations and are offloaded to the dedicated system, greatly reducing resource demands on the source machine.


Web Console



Backup data protection and security enhancement

A variety of replication targets (local storage, NAS, cloud storages, etc.) are supported and flexible backup data protection strategies are provided. Support for Object Lock–based immutable protection and two-factor authentication (2FA) helps safeguard backup data against ransomware attacks and unauthorized access, preventing data tampering and loss while strengthening overall data security.

Distributed backup storages



Support for virtual environment (1)


Agentless backup of virtual machines on VMware vSphere, Microsoft Hyper-V

Agentless backup of virtual machines

ActiveImage Protector™ Virtual now provides HyperAgent™, agentless backup feature, enabling to select and back up a virtual machine configured on VMware vSphere, Microsoft Hyper-V, Linux KVM, Proxmox without the need for installation of agent. Flexible recovery feature enables to restore a selected file / folder from a backup file.

＊Virtual machines configured on hypervisors other than VMware vSphere, Microsoft Hyper-V, Linux KVM, Proxmox are supported to back up by using agent-based backup feature.

Agentless backup of virtual machines




Benefits of agentless backup

- No need for installation of agent reduces man-hours required for the product deployment.
- Without the need for installation of agent on virtual machine, the consumption of CPU and memory resources are minimized.
- Flexibly support guest OS (Windows Server 2003 and later are supported.)

Flexible restore to the respective virtual machine

In the event of an emergency, without the need for reconfiguring restore target virtual machine or virtual disk, HyperAgent enables to restore a virtual machine from backup file. A virtual machine can be restored to a virtual machine on a different hypervisor, which can reduce IT engineers' workload.

Restores virtual machine backups to dissimilar hypervisors




Support for virtual environment (2)

Actiphy

Virtual conversion utility enables migration to VMware vSphere, Microsoft Hyper-V environments


Migration from backup to virtual environment

Migration from a source backup image file to virtual machine or virtual disk is enabled without the need for reconfiguring virtual machine or virtual disk on target virtual host.




Migration from source disk to target virtual environment

Specify the migration source disk and directly configure virtual machine on migration target virtual host.




Restore source backup to virtual machine

Migration is enabled by restoring a backup that includes virtual drivers of source machine to a virtual machine configured on migration target virtual host.



Seamless Migration

vStandby replicates your live physical or virtual machines directly to a VMware vSphere or Microsoft Hyper-V host as a virtual standby replica (VSR), keeping boot points updated with scheduled incremental snapshots.




Support for Cloud environment (1)

Back up / restore virtual machines in cloud environment

Multiple cloud storages are supported

Built-in wizards guide you through every step to perform simple and unified backup operation for virtual machines on Google Cloud Platform(GCP), Oracle Cloud Infrastructure (OCI) as well as Amazon Web Services (AWS), Microsoft Azure (Azure).


Back-up and restore virtual machines in multiple cloud environments



Back up the entire system of virtual machine in cloud environment.

Different from snapshot technology, ActiveImage Protector™ backs up the entire Windows/Linux virtual machines on cloud to a disk image. Save your backups to any available storage location, including cloud storage in VLAN on cloud, which does not incur additional costs. When disaster strikes, select a backup image to quickly restore to a virtual machine.

Back up virtual machines in disk image in Cloud



Support for Cloud environment (2)


Back up / restore the entire system of virtual machines in cloud environment

Restore virtual machines in cloud environment

Boot up Actiphy Cloud agent installed in Actiphy's dedicated area in cloud by using In-Cloud Recovery, and restore the entire system, without the need for management console for cloud environment or command line operation. A volume or file / folder can be flexibly selected to restore from a backup image.

*In-Cloud Recovery™ does not support Google Cloud Platform(GCP), Oracle Cloud Infrastructure (OCI). When restoring a virtual machine, boot environment booted from RescueBoot is used.


Restore a virtual machine in cloud from a backup



Remotely operate the RescueBoot boot environment

Start up the ActiveImage Boot Environment created and booted directly from the internal disk, so that system administrator can remotely restore the failed system of virtual machine from a backup in cloud environment without the use of external device.

Remotely restore virtual machine in cloud




Benefits of support for cloud environment

Utilize cloud environment as DR (disaster recovery) site

Restore a virtual machine on cloud environment from backup files

Back up physical / virtual machine at local site and save the backup files in cloud storage. Or replicate the backup files to cloud storage. In the event of an emergency, temporarily restore the backup to a virtual machine on cloud.


Restore to virtual machine on cloud



Migrate virtual machine on cloud to on-premises environment

Restore backup of virtual machine on cloud to virtual machine in on-premises environment or a virtual machine on a different cloud environment. Virtual machine on cloud serving as an interim replacement server can be migrated.

Migration of virtual machine on cloud




Flexible Scheduled Backup

Backup tasks are executed according to predefined schedule

Backup tasks can be automatically executed according to the weekly, monthly or on a specific day of a week.


○ Weekly Schedule

Full backup is scheduled to execute on the weekend while incremental backup tasks are scheduled from Monday to Friday. Incremental backup can be scheduled to run for multiple times a day.



○Designate Specific Days


Select by clicking a specific days of a week to perform a recurring full base backup while incremental backup tasks are scheduled from Monday to Friday.



Customized Schedule Settings


○Multi-scheduling

Incremental backup tasks are scheduled on weekly basis while full backup tasks are scheduled at the end of a month.



○Multiple Backup Destination Settings

Multiple backup task settings can be configured to direct backup files to multiple destinations. For example, backup files of C drive are directed to NAS while backup files of D drive are directed to LTO tape.




Standby availability solution

Featuring support for reduction of RTO

Create and maintain standby virtual replica

In an emergency, it may take lengthy time to restore a large volume of backup file. Use vStandby, add-on tool for ActiveImage Protector, to specify the source disk of your machine and automatically replicate your machine according to the pre-defined schedule on a target virtual host, VMware vSphere, Microsoft Hyper-V, Linux KVM, Proxmox. When a disaster strikes, the virtual standby replica can be instantly started to continue the operation. ActiveImage Protector enables you to deploy affordable HA system.


Create and maintain standby virtual replica from disk



Create standby virtual machine from a backup image

Uses HyperStandby™ to create and maintain a standby virtual machine from backup images on a target virtual host on VMware vSphere, Microsoft Hyper-V, Linux KVM, Proxmox, updating boot points synchronized with scheduled incremental snapshots.
For example, backups are replicated to remote site to create a standby virtual machine. When a disaster strikes, the standby virtual machine (SVM) can be immediately started. HyperStandby can provide an affordable disaster recovery solution.

Configure and maintain standby virtual replica at remote site




GUI provides tools for efficient operations

Easy to operate GUI

Built-in wizards guide you through every step to perform backup and restore operations

ActiveImage Protector™'s GUI provides dashboard window to display real time monitoring of the status of tasks, logs, schedules, schedule settings and disk information. Backup and Restore wizards windows make the software operation more intuitive.


ActiveImage Protector's GUI



Remote console is provided

Remote console is provided to remotely operate ActiveImage Protector™ agents over network and monitor backup task execution status, backup task schedules, etc.

Remotely operate and manage ActiveImage Protector



◆Product web site

English: https://www.actiphy.com/global/product/

German: https://www.actiphy.com/de-de/produkte/

◆Comparison chart

English: https://www.actiphy.com/global/comparison/actiphy_activeimage_protector_functional_comparison_editions

German: https://www.actiphy.com/de-de/comparison/actiphy_activeimage_protector_functional_comparison_editions

◆System Requirements

English: https://www.actiphy.com/global/support/system-requirements/

German: https://www.actiphy.com/de-de/support/systemanforderungen/

◆Support（Knowledge base）

English: https://actiphyhelp.zendesk.com/hc/en-us/sections/13451053396761

German: https://actiphyhelp.zendesk.com/hc/de-de/sections/55328088855193

For your inquiry, please contact:

Actiphy Inc.

E-mail: global-sales@actiphy.com

Tel: +81-3-5256-0877

Actiphy

株式会社 アクティファイ

www.actiphy.com