


CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:


DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/09/11	Tony

**RoHS Compliance**


NOTE:INSULATOR ABS UL94V-0  
METAL:STEEL/NICKEL PLATED







A  
2Pcs




B  
2Pcs




C  
2Pcs



C  
2Pcs



D  
2Pcs



E  
2Pcs

UNLESS OTHERWISE SPECIFIED SURFACE FINISH ALL OVER TOLERANCES mm  METRIC X. = ±0.3 .X = ±0.2 .XX = ±0.1	DRAW: <i>CHUBBY</i>	DATE: 03/09/11	TITLE: D-SUB PLASTIC HOOD Lock Up Type Short Screw
	CHECK: KEVIN	APPROVE: <i>TONY</i>	MODEL CODE: PPH01-09-SSC
			 <b>誠州電子有限公司</b> <i>Sincere State Electronics Co.,Ltd.</i>


NO	DESCRIPTION	QTY
----	-------------	-----

CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:


**RoHS Compliance**

DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/09/11	Tony


NOTE:INSULATOR ABS UL94V-0  
METAL:STEEL/NICKEL PLATED






A  
2Pcs




B  
2Pcs




C  
2Pcs




C  
2Pcs



D  
2Pcs



E  
2Pcs



UNLESS OTHERWISE SPECIFIED SURFACE FINISH ALL OVER TOLERANCES mm  METRIC X. = ±0.3 .X = ±0.2 .XX = ±0.1	DRAW: <i>CHUBBY</i>	DATE: 03/09/11	TITLE: D-SUB PLASTIC HOOD Lock Up Type Short Screw
	CHECK: KEVIN	APPROVE: <i>TONY</i>	MODEL CODE: PPH01-15-SSC
			 <b>誠州電子有限公司</b> <i>Sincere State Electronics Co.,Ltd.</i>










NO	DESCRIPTION	QTY
----	-------------	-----

CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:

DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/09/11	Tony

**RoHS Compliance**

NOTE:INSULATOR ABS UL94V-0  
METAL:STEEL/NICKEL PLATED




UNLESS OTHERWISE  
SPECIFIED SURFACE  
FINISH ALL OVER  
TOLERANCES mm

METRIC

X. = ±0.3  
.X = ±0.2  
.XX = ±0.1

DRAW: *CHUBBY*  
DATE: 03/09/11

CHECK: KEVIN  
APPROVE: *TONY*



TITLE: D-SUB PLASTIC HOOD Lock Up Type Short Screw

MODEL CODE: PPH01-25-SSC



誠州電子有限公司  
Sincere State Electronics Co.,Ltd.










NO	DESCRIPTION	QTY
----	-------------	-----

CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:

DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/09/11	Tony

**RoHS Compliance**

NOTE:INSULATOR ABS UL94V-0  
METAL:STEEL/NICKEL PLATED



UNLESS OTHERWISE SPECIFIED SURFACE FINISH ALL OVER TOLERANCES mm  METRIC X. = ±0.3 .X = ±0.2 .XX = ±0.1	DRAW: <i>CHUBBY</i>	DATE: 03/09/11	TITLE: D-SUB PLASTIC HOOD Lock Up Type Short Screw
	CHECK: KEVIN	APPROVE: <i>TONY</i>	MODEL CODE: PPH01-37-SSC
			 <b>誠州電子有限公司</b> <i>Sincere State Electronics Co.,Ltd.</i>


NO	DESCRIPTION	QTY
----	-------------	-----

CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:


DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0			

**RoHS Compliance**


NOTE:INSULATOR ABS UL94V-0  
METAL:STEEL/NICKEL PLATED




A  
2Pcs






B  
2Pcs



C  
4Pcs



D  
2Pcs



UNLESS OTHERWISE SPECIFIED SURFACE FINISH ALL OVER TOLERANCES mm  METRIC X. = ±0.3 .X = ±0.2 .XX = ±0.1	DRAW: <i>Chubby</i>	DATE: 12/08/04	TITLE: D-SUB HOOD PLASTIC Type For Short Screw
	CHECK: KEVIN	APPROVE: <i>TONY</i>	MODEL CODE: DBHDP-50-SS-C
			 <b>誠州電子有限公司</b> <i>Sincere State Electronics Co.,Ltd.</i>

NO	DESCRIPTION	QTY
----	-------------	-----