


CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:


RoHS Compliance

DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/10/11	TONY


NOTE:INSULATOR ABS UL94V-0 PLATED
WITH NICKEL/CHORME
METAL:STEEL/NICKEL PLATED







A
2Pcs




B
2Pcs




C
2Pcs



C
2Pcs



D
2Pcs



E
2Pcs

UNLESS OTHERWISE SPECIFIED SURFACE FINISH ALL OVER TOLERANCES mm METRIC X. = ±0.3 .X = ±0.2 .XX = ±0.1	DRAW:	DATE:	TITLE:
	<i>CHUBBY</i>	03/10/11	D-SUB EMI HOOD Short Screw
	CHECK:	APPROVE:	MODEL CODE:
	KEVIN	<i>TONY</i>	SPH01-09-SSC
			 誠州電子有限公司 <i>Sincere State Electronics Co.,Ltd.</i>


NO	DESCRIPTION	QTY
----	-------------	-----

CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:


RoHS Compliance

DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/10/11	TONY


NOTE:INSULATOR ABS UL94V-0 PLATED
WITH NICKEL/CHORME
METAL:STEEL/NICKEL PLATED




A
2Pcs




B
2Pcs




C
2Pcs






C
2Pcs



D
2Pcs



E
2Pcs



UNLESS OTHERWISE SPECIFIED SURFACE FINISH ALL OVER TOLERANCES mm METRIC X. = ±0.3 .X = ±0.2 .XX = ±0.1	DRAW: <i>CHUBBY</i>	DATE: 03/10/11	TITLE: D-SUB EMI HOOD Short Screw
	CHECK: KEVIN	APPROVE: <i>TONY</i>	MODEL CODE: SPH01-15-SSC
			 誠州電子有限公司 <i>Sincere State Electronics Co.,Ltd.</i>


NO	DESCRIPTION	QTY
----	-------------	-----

CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:


RoHS Compliance

DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/10/11	TONY


NOTE:INSULATOR ABS UL94V-0 PLATED
WITH NICKEL/CHORME
METAL:STEEL/NICKEL PLATED




A
2Pcs




B
2Pcs




C
2Pcs






D
2Pcs



E
2Pcs



F
2Pcs




UNLESS OTHERWISE
SPECIFIED SURFACE
FINISH ALL OVER
TOLERANCES mm

METRIC

X. = ±0.3
.X = ±0.2
.XX = ±0.1

DRAW: *CHUBBY*
DATE: 03/10/11

CHECK: KEVIN
APPROVE: *TONY*



TITLE: D-SUB EMI HOOD Short Screw

MODEL CODE: SPH01-25-SSC



誠州電子有限公司
Sincere State Electronics Co.,Ltd.


NO	DESCRIPTION	QTY
----	-------------	-----

CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:


RoHS Compliance

DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/10/11	TONY


NOTE:INSULATOR ABS UL94V-0 PLATED
WITH NICKEL/CHORME
METAL:STEEL/NICKEL PLATED




A
2Pcs




B
2Pcs




C
2Pcs






D
2Pcs



E
2Pcs



F
2Pcs



UNLESS OTHERWISE
SPECIFIED SURFACE
FINISH ALL OVER
TOLERANCES mm

METRIC

X. = ±0.3
.X = ±0.2
.XX = ±0.1

DRAW:

CHUBBY

DATE:

03/10/11

TITLE:

D-SUB EMI HOOD Short Screw

MODEL CODE:

SPH01-37-SSC

CHECK:

KEVIN

APPROVE:

TONY



誠州電子有限公司

Sincere State Electronics Co.,Ltd.


NO	DESCRIPTION	QTY
----	-------------	-----

CUST. MODEL:	REF.
CUST. P/N:	DWG FILE:

RoHS Compliance


DESCRIPTION CONTROL			
REV.	DESC.	DATE	APP.
1.0	RELEASE	03/10/11	TONY

NOTE:INSULATOR ABS UL94V-0 PLATED
WITH NICKEL/CHORME
METAL:STEEL/NICKEL PLATED




A
2Pcs




B
2Pcs



C
4Pcs



D
2Pcs



UNLESS OTHERWISE SPECIFIED SURFACE FINISH ALL OVER TOLERANCES mm METRIC X. = ±0.3 .X = ±0.2 .XX = ±0.1	DRAW: <i>CHUBBY</i>	DATE: 03/10/11	TITLE: D-SUB EMI HOOD Short Screw
	CHECK: KEVIN	APPROVE: <i>TONY</i>	MODEL CODE: SPH01-50-SSC
			 誠州電子有限公司 <i>Sincere State Electronics Co.,Ltd.</i>

NO	DESCRIPTION	QTY
----	-------------	-----