

**SANY**<sup>®</sup>

**i-Cheon** **CE**  
宜宗重機械有限公司

# SPECIFICATION



 **100 t**

 **50.5 m**

 **67.6 m**

# STC1000T5

SANY TRUCK CRANE

台灣經銷商：宜宗重機械有限公司

宏江重機械企業有限公司

展場地址：台中市后里區三線路18-16號


展場電話：04-25590268 / 0975-193161

QUALITY CHANGES THE WORLD

[www.sanyglobal.com](http://www.sanyglobal.com)

# OPERATING RANGE - TELESCOPIC BOOM (T)


## 起升高度曲線 - 主臂







# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t








	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	
2.5	100.0															2.5
3.0	81.6					69.5										3.0
3.5	75.0	34.0				68.0					48.0					3.5
4.0	69.2	34.0				66.6	34.0				48.0					4.0
4.5	64.3	34.0	33.0			61.9	34.0				48.0					4.5
5.0	59.9	34.0	33.0			57.7	34.0				47.0	34.0				5.0
6.0	52.4	34.0	33.0	23.8		50.0	34.0	32.0			44.0	34.0				6.0
7.0	44.2	34.0	30.5	23.0		43.5	34.0	32.0	21.5		40.0	34.0	28.0			7.0
8.0	38.0	34.0	30.0	21.7	17.0	37.4	34.0	31.0	21.0		35.5	30.5	27.3	19.5		8.0
9.0	33.2	32.5	28.0	20.2	16.7	32.7	32.0	29.0	20.5	15.5	31.0	27.2	25.0	19.0		9.0
10.0		28.7	25.5	18.7	16.5	28.6	28.2	26.3	19.5	15.0	28.1	24.5	23.1	18.5	13.0	10.0
11.0		25.7	23.0	17.7	15.5	24.7	25.2	24.5	18.7	14.5	24.2	22.3	21.5	17.7	12.8	11.0
12.0		25.1	21.0	16.8	14.7	21.0	22.5	23.0	18.0	14.0	20.6	20.4	20.1	17.0	12.7	12.0
14.0		20.1	18.0	15.2	13.2	15.8	19.5	19.0	16.0	12.8	15.4	16.7	16.8	15.5	11.8	14.0
16.0		16.1	15.1	13.5	12.0		15.5	16.2	14.5	11.5	11.9	13.1	13.8	13.3	10.9	16.0
18.0			13.1	12.5	10.8		12.6	13.4	11.8	10.5	9.3	10.5	11.2	11.5	10.0	18.0
20.0			11.7	10.7	9.6		10.3	11.1	10.6	9.7		8.5	9.2	9.7	9.0	20.0
22.0			9.9	9.1	9.0			9.4	9.5	9.0		7.0	7.7	8.1	8.3	22.0
24.0			8.5	7.8	8.1			8.0	8.4	7.7		5.7	6.4	6.8	7.1	24.0
26.0				6.8	7.0			6.8	7.2	6.7			5.4	5.8	6.1	26.0
28.0				5.9	6.1				6.3	5.9			4.5	4.9	5.2	28.0
30.0					5.4				5.4	5.1			3.8	4.2	4.5	30.0
32.0					4.7				4.7	4.6				3.5	3.8	32.0
34.0					4.2				4.1	4.2				3.0	3.3	34.0
36.0					3.9					3.8				2.5	2.8	36.0
38.0					3.6					3.4					2.4	38.0
40.0										2.9					2.0	40.0
42.0										2.6					1.6	42.0
44.0															1.0	44.0
46.0																46.0
48.0																48.0
	14	5	5	4	3	10	5	5	3	3	7	5	4	3	2	
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t








 m	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	 m
2.5	100.0															2.5
3.0	81.6					69.5										3.0
3.5	75.0	34.0				68.0					48.0					3.5
4.0	69.2	34.0				66.6	34.0				48.0					4.0
4.5	64.3	34.0	33.0			61.9	34.0				48.0					4.5
5.0	59.9	34.0	33.0			57.7	34.0				47.0	34.0				5.0
6.0	52.4	34.0	33.0	23.8		50.0	34.0	32.0			44.0	34.0				6.0
7.0	44.2	34.0	30.5	23.0		43.5	34.0	32.0	21.5		40.0	34.0	28.0			7.0
8.0	38.0	34.0	30.0	21.7	17.0	37.4	34.0	31.0	21.0		35.5	30.5	27.3	19.5		8.0
9.0	33.2	32.5	28.0	20.2	16.7	32.7	32.0	29.0	20.5	15.5	31.0	27.2	25.0	19.0		9.0
10.0		28.7	25.5	18.7	16.5	28.6	28.2	26.3	19.5	15.0	28.1	24.5	23.1	18.5	13.0	10.0
11.0		25.7	23.0	17.7	15.5	24.5	25.2	24.5	18.7	14.5	24.2	22.3	21.5	17.7	12.8	11.0
12.0		23.2	21.0	16.8	14.7	20.8	22.5	23.0	18.0	14.0	20.6	20.4	20.1	17.0	12.7	12.0
14.0		17.8	18.0	15.2	13.2	15.5	17.1	18.0	16.0	12.8	15.3	16.7	16.8	15.5	11.8	14.0
16.0		14.1	14.9	13.5	12.0		13.5	14.3	14.5	11.5	11.7	13.1	13.8	13.3	10.9	16.0
18.0			12.2	12.5	10.8		10.8	11.6	11.8	10.5	9.1	10.4	11.2	11.5	10.0	18.0
20.0			10.2	10.6	9.6		8.8	9.6	10.1	9.7		8.4	9.2	9.7	9.0	20.0
22.0			8.6	9.0	9.0			8.0	8.5	8.8		6.9	7.6	8.1	8.3	22.0
24.0			7.3	7.7	7.9			6.7	7.2	7.5		5.6	6.3	6.8	7.1	24.0
26.0				6.6	6.9			5.7	6.1	6.4			5.3	5.7	6.1	26.0
28.0				5.7	6.0				5.2	5.5			4.4	4.8	5.2	28.0
30.0					5.2				4.5	4.8			3.6	4.1	4.4	30.0
32.0					4.6				3.8	4.1				3.5	3.8	32.0
34.0					4.0				3.3	3.6				2.9	3.2	34.0
36.0					3.5					3.1				2.4	2.7	36.0
38.0					3.1					2.6					2.3	38.0
40.0										2.2					1.9	40.0
42.0										1.9					1.5	42.0
44.0															1.0	44.0
46.0																46.0
48.0																48.0
 m	14	5	5	4	3	10	5	5	3	3	7	5	4	3	2	 m
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t








 m	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	 m
2.5	89.6															2.5
3.0	81.6					69.5										3.0
3.5	75.0	34.0				68.0					48.0					3.5
4.0	69.2	34.0				66.6	34.0				48.0					4.0
4.5	64.3	34.0	33.0			61.9	34.0				48.0					4.5
5.0	59.9	34.0	33.0			57.7	34.0				47.0	34.0				5.0
6.0	51.7	34.0	33.0	23.8		50.0	34.0	32.0			44.0	34.0				6.0
7.0	43.7	34.0	30.5	23.0		43.3	34.0	32.0	21.5		40.0	34.0	28.0			7.0
8.0	36.6	34.0	30.0	21.7	17.0	36.1	34.0	31.0	21.0		35.5	30.5	27.3	19.5		8.0
9.0	28.8	31.1	28.0	20.2	16.7	28.4	30.4	29.0	20.5	15.5	28.1	27.2	25.0	19.0		9.0
10.0		25.6	25.5	18.7	16.5	23.0	24.9	25.9	19.5	15.0	22.7	24.3	23.1	18.5	13.0	10.0
11.0		21.5	22.4	17.7	15.5	19.0	20.8	21.8	18.7	14.5	18.8	20.3	21.2	17.7	12.8	11.0
12.0		18.4	19.3	16.8	14.7	16.0	17.7	18.6	18.0	14.0	15.8	17.2	18.1	17.0	12.7	12.0
14.0		13.9	14.7	15.2	13.2	11.6	13.3	14.1	14.6	12.8	11.4	12.8	13.6	14.2	11.8	14.0
16.0		10.8	11.6	12.1	12.0		10.2	11.0	11.5	11.5	8.5	9.8	10.6	11.1	10.9	16.0
18.0			9.4	9.8	10.1		8.0	8.8	9.3	9.6	6.3	7.6	8.4	8.9	9.2	18.0
20.0			7.7	8.1	8.4		6.3	7.1	7.6	7.9		6.0	6.7	7.2	7.5	20.0
22.0			6.3	6.8	7.0			5.8	6.3	6.6		4.7	5.4	5.9	6.2	22.0
24.0			5.3	5.7	6.0			4.7	5.2	5.5		3.6	4.3	4.8	5.1	24.0
26.0				4.8	5.1			3.8	4.3	4.6			3.4	3.9	4.2	26.0
28.0				4.0	4.3				3.5	3.8			2.7	3.1	3.5	28.0
30.0					3.6				2.9	3.2			2.0	2.5	2.8	30.0
32.0					3.1				2.3	2.6				2.0	2.3	32.0
34.0					2.6				1.9	2.2				1.5	1.8	34.0
36.0					2.2					1.8				1.1	1.4	36.0
38.0					1.8					1.4					1.0	38.0
40.0										1.1					0.7	40.0
42.0										0.8						42.0
44.0																44.0
46.0																46.0
48.0																48.0
 n	12	5	5	4	3	10	5	5	3	3	7	5	4	3	2	 n
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t








 m	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	 m
2.5	89.6															2.5
3.0	81.6					69.5										3.0
3.5	75.0	34.0				68.0					48.0					3.5
4.0	69.2	34.0				66.6	34.0				48.0					4.0
4.5	64.3	34.0	33.0			61.9	34.0				48.0					4.5
5.0	59.9	34.0	33.0			57.7	34.0				47.0	34.0				5.0
6.0	51.1	34.0	33.0	23.8		50.0	34.0	32.0			44.0	34.0				6.0
7.0	43.2	34.0	30.5	23.0		42.8	34.0	32.0	21.5		40.0	34.0	28.0			7.0
8.0	34.9	34.0	30.0	21.7	17.0	34.5	34.0	31.0	21.0		34.2	30.5	27.3	19.5		8.0
9.0	27.4	29.8	28.0	20.2	16.7	27.0	29.0	29.0	20.5	15.5	26.7	27.2	25.0	19.0		9.0
10.0		24.4	25.4	18.7	16.5	21.8	23.7	24.7	19.5	15.0	21.6	23.2	23.1	18.5	13.0	10.0
11.0		20.5	21.4	17.7	15.5	18.0	19.8	20.7	18.7	14.5	17.8	19.3	20.2	17.7	12.8	11.0
12.0		17.5	18.4	16.8	14.7	15.1	16.8	17.7	18.0	14.0	14.9	16.3	17.2	17.0	12.7	12.0
14.0		13.2	14.0	14.5	13.2	10.9	12.5	13.4	13.9	12.8	10.7	12.1	12.9	13.5	11.8	14.0
16.0		10.2	11.0	11.5	11.8		9.6	10.4	10.9	11.3	7.9	9.2	10.0	10.5	10.9	16.0
18.0			8.9	9.3	9.6		7.5	8.3	8.8	9.1	5.8	7.1	7.9	8.4	8.7	18.0
20.0			7.2	7.7	7.9		5.9	6.7	7.1	7.5		5.5	6.2	6.7	7.1	20.0
22.0			5.9	6.4	6.6			5.4	5.8	6.2		4.2	4.9	5.4	5.8	22.0
24.0			4.9	5.3	5.6			4.3	4.8	5.1		3.2	3.9	4.4	4.7	24.0
26.0				4.4	4.7			3.5	3.9	4.2			3.0	3.5	3.8	26.0
28.0				3.7	4.0				3.2	3.5			2.3	2.8	3.1	28.0
30.0					3.3				2.6	2.9			1.7	2.2	2.5	30.0
32.0					2.8				2.1	2.4				1.7	2.0	32.0
34.0					2.3				1.6	1.9				1.2	1.5	34.0
36.0					1.9					1.5				0.8	1.1	36.0
38.0					1.6					1.1					0.8	38.0
40.0										0.8						40.0
42.0																42.0
44.0																44.0
46.0																46.0
48.0																48.0
 n	12	5	5	4	3	10	5	5	3	3	7	5	4	3	2	 n
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t








 m	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	 m
2.5	89.6															2.5
3.0	81.6					69.5										3.0
3.5	75.0	34.0				68.0					48.0					3.5
4.0	69.2	34.0				66.6	34.0				48.0					4.0
4.5	64.3	34.0	33.0			61.9	34.0				48.0					4.5
5.0	58.1	34.0	33.0			57.7	34.0				47.0	34.0				5.0
6.0	47.9	34.0	33.0	23.8		47.5	34.0	32.0			44.0	34.0				6.0
7.0	35.1	34.0	30.5	23.0		34.6	34.0	32.0	21.5		34.2	34.0	28.0			7.0
8.0	25.9	28.5	29.7	21.7	17.0	25.5	27.6	28.8	21.0		25.2	27.0	27.3	19.5		8.0
9.0	20.0	22.4	23.5	20.2	16.7	19.6	21.6	22.7	20.5	15.5	19.4	21.1	22.1	19.0		9.0
10.0		18.2	19.2	18.7	16.5	15.6	17.4	18.5	19.1	15.0	15.3	16.9	17.9	18.5	13.0	10.0
11.0		15.1	16.0	16.6	15.5	12.6	14.4	15.3	15.9	14.5	12.4	13.9	14.8	15.4	12.8	11.0
12.0		12.7	13.6	14.1	14.4	10.2	12.0	12.9	13.5	13.9	10.0	11.5	12.4	13.0	12.7	12.0
14.0		9.1	10.0	10.5	10.9	6.8	8.5	9.4	9.9	10.3	6.6	8.0	8.9	9.5	9.9	14.0
16.0		6.7	7.6	8.1	8.4		6.1	7.0	7.5	7.8	4.3	5.7	6.5	7.0	7.4	16.0
18.0			5.8	6.3	6.6		4.4	5.2	5.7	6.1	2.6	4.0	4.8	5.3	5.7	18.0
20.0			4.5	5.0	5.2		3.1	3.9	4.4	4.8		2.7	3.5	4.0	4.4	20.0
22.0			3.5	3.9	4.2			2.9	3.4	3.7		1.7	2.5	3.0	3.3	22.0
24.0			2.7	3.1	3.4			2.1	2.6	2.9		1.0	1.7	2.2	2.5	24.0
26.0				2.4	2.7			1.4	1.9	2.2			1.0	1.5	1.8	26.0
28.0				1.9	2.1				1.4	1.7				1.0	1.3	28.0
30.0					1.6				0.9	1.2					0.8	30.0
32.0					1.2					0.8						32.0
34.0					0.9											34.0
36.0																36.0
38.0																38.0
40.0																40.0
42.0																42.0
44.0																44.0
46.0																46.0
48.0																48.0
 t <sub>n</sub>	12	5	5	4	3	10	5	5	3	3	7	5	4	3	2	 t <sub>n</sub>
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t








 m	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	 m
2.5	80.6															2.5
3.0	73.4					62.6										3.0
3.5	67.5	30.6				61.2					43.2					3.5
4.0	62.3	30.6				59.9	30.6				43.2					4.0
4.5	57.9	30.6	29.7			55.7	30.6				43.2					4.5
5.0	53.6	30.6	29.7			51.9	30.6				42.3	30.6				5.0
6.0	43.8	30.6	29.7	21.4		43.6	30.6	28.8			39.6	30.6				6.0
7.0	34.9	30.6	27.5	20.7		34.5	30.6	28.8	19.4		34.2	30.6	25.2			7.0
8.0	27.3	29.2	27.0	19.5	15.3	26.9	28.5	27.9	18.9		26.6	27.5	24.6	17.6		8.0
9.0	22.0	23.9	24.7	18.2	15.0	21.6	23.2	24.0	18.5	14.0	21.4	22.8	22.5	17.1		9.0
10.0		19.9	20.7	16.8	14.9	17.8	19.3	20.1	17.6	13.5	17.6	18.9	19.6	16.7	11.7	10.0
11.0		16.9	17.6	15.9	14.0	14.9	16.4	17.1	16.8	13.1	14.7	15.9	16.7	15.9	11.5	11.0
12.0		14.6	15.3	15.1	13.2	12.6	14.0	14.8	15.2	12.6	12.4	13.6	14.3	14.9	11.4	12.0
14.0		11.1	11.8	12.2	11.9	9.2	10.5	11.3	11.7	11.5	9.1	10.2	10.9	11.3	10.6	14.0
16.0		8.6	9.4	9.7	10.0		8.2	8.8	9.3	9.5	6.7	7.8	8.5	8.9	9.2	16.0
18.0			7.6	7.9	8.2		6.4	7.0	7.5	7.7	5.0	6.0	6.7	7.1	7.4	18.0
20.0			6.1	6.5	6.8		5.0	5.7	6.0	6.3		4.7	5.3	5.7	6.0	20.0
22.0			5.0	5.4	5.7			4.6	5.0	5.2		3.6	4.2	4.6	4.9	22.0
24.0			4.1	4.5	4.7			3.7	4.1	4.3		2.7	3.3	3.7	4.0	24.0
26.0				3.8	4.0			3.0	3.3	3.6			2.6	3.0	3.2	26.0
28.0				3.2	3.3				2.7	3.0			2.0	2.3	2.6	28.0
30.0					2.8				2.2	2.4			1.4	1.8	2.1	30.0
32.0					2.3				1.7	2.0				1.4	1.6	32.0
34.0					1.9				1.3	1.5				1.0	1.3	34.0
36.0					1.5					1.2					0.9	36.0
38.0					1.3					0.9						38.0
40.0																40.0
42.0																42.0
44.0																44.0
46.0																46.0
48.0																48.0
 n	12	5	5	4	3	10	5	5	3	3	7	5	4	3	2	 n
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t




	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	
2.5	76.2															2.5
3.0	69.4					59.1										3.0
3.5	63.8	28.9				57.8					40.8					3.5
4.0	58.8	28.9				56.6	28.9				40.8					4.0
4.5	54.1	28.9	28.1			52.6	28.9				40.8					4.5
5.0	48.4	28.9	28.1			48.0	28.9				40.0	28.9				5.0
6.0	38.9	28.9	28.1	20.2		38.4	28.9	27.2			37.4	28.9				6.0
7.0	28.6	28.9	25.9	19.6		28.3	28.9	27.2	18.3		28.1	28.9	23.8			7.0
8.0	22.2	24.1	24.9	18.4	14.5	21.8	23.5	24.3	17.9		21.7	23.0	23.2	16.6		8.0
9.0	17.8	19.6	20.3	17.2	14.2	17.5	19.0	19.7	17.4	13.2	17.3	18.5	19.3	16.2		9.0
10.0		16.2	17.0	15.9	14.0	14.3	15.6	16.4	16.6	12.8	14.0	15.3	16.0	15.7	11.1	10.0
11.0		13.7	14.5	14.9	13.2	11.8	13.2	13.9	14.4	12.3	11.6	12.8	13.5	13.9	10.9	11.0
12.0		11.7	12.4	12.8	12.5	9.9	11.2	11.9	12.3	11.9	9.7	10.9	11.6	12.0	10.8	12.0
14.0		8.8	9.5	9.9	10.1	7.1	8.3	9.0	9.4	9.7	6.9	8.0	8.6	9.0	9.4	14.0
16.0		6.8	7.4	7.8	8.0		6.3	7.0	7.3	7.7	4.9	6.0	6.5	7.0	7.3	16.0
18.0			5.9	6.3	6.5		4.8	5.4	5.8	6.1	3.4	4.5	5.1	5.4	5.8	18.0
20.0			4.8	5.1	5.3		3.7	4.3	4.7	4.9		3.3	3.9	4.3	4.6	20.0
22.0			3.8	4.2	4.3			3.3	3.7	4.0		2.4	3.0	3.4	3.7	22.0
24.0			3.1	3.4	3.6			2.6	3.0	3.2		1.6	2.2	2.6	2.9	24.0
26.0				2.7	3.0			2.0	2.3	2.6			1.6	2.0	2.3	26.0
28.0				2.2	2.4				1.8	2.0			1.1	1.4	1.7	28.0
30.0					2.0				1.4	1.6				1.0	1.3	30.0
32.0					1.5				0.9	1.2					0.9	32.0
34.0					1.2					0.9						34.0
36.0					0.9											36.0
38.0																38.0
40.0																40.0
42.0																42.0
44.0																44.0
46.0																46.0
48.0																48.0
	12	5	5	4	3	10	5	5	3	3	7	5	4	3	2	
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t








	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	
2.5	71.7															2.5
3.0	65.3					55.6										3.0
3.5	60.0	27.2				54.4					38.4					3.5
4.0	53.4	27.2				53.1	27.2				38.4					4.0
4.5	47.1	27.2	26.4			46.9	27.2				38.4					4.5
5.0	42.1	27.2	26.4			41.7	27.2				37.6	27.2				5.0
6.0	28.1	27.2	26.4	19.0		27.6	27.2	25.6			27.4	27.2				6.0
7.0	20.4	22.2	23.1	18.4		20.0	21.6	22.5	17.2		19.8	21.2	22.0			7.0
8.0	15.5	17.3	18.1	17.4	13.6	15.2	16.6	17.4	16.8		15.0	16.2	17.0	15.6		8.0
9.0	12.2	13.8	14.6	15.0	13.4	11.9	13.3	14.1	14.5	12.4	11.7	12.9	13.6	14.2		9.0
10.0		11.4	12.1	12.5	12.7	9.5	10.8	11.5	12.0	12.0	9.3	10.5	11.1	11.6	10.4	10.0
11.0		9.4	10.2	10.6	10.8	7.7	9.0	9.6	10.1	10.3	7.5	8.6	9.3	9.7	10.0	11.0
12.0		8.0	8.6	9.0	9.2	6.2	7.4	8.2	8.6	8.8	6.1	7.1	7.8	8.2	8.5	12.0
14.0		5.8	6.4	6.7	7.0	4.1	5.3	5.9	6.3	6.6	3.9	5.0	5.6	6.0	6.2	14.0
16.0		4.2	4.8	5.2	5.4		3.8	4.4	4.7	5.0	2.5	3.4	4.0	4.4	4.7	16.0
18.0			3.7	4.0	4.2		2.6	3.2	3.6	3.8	1.4	2.3	2.9	3.3	3.5	18.0
20.0			2.8	3.1	3.3		1.8	2.3	2.7	3.0		1.4	2.0	2.4	2.6	20.0
22.0			2.1	2.4	2.6			1.7	2.0	2.2		0.8	1.4	1.7	1.9	22.0
24.0			1.5	1.8	2.0			1.0	1.4	1.7			0.7	1.1	1.4	24.0
26.0				1.4	1.5				1.0	1.2					0.9	26.0
28.0				1.0	1.1					0.8						28.0
30.0					0.8											30.0
32.0																32.0
34.0																34.0
36.0																36.0
38.0																38.0
40.0																40.0
42.0																42.0
44.0																44.0
46.0																46.0
48.0																48.0
	12	5	5	4	3	10	5	5	3	3	7	5	4	3	2	
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂

Unit: t








 m	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	 m
2.5	67.2															2.5
3.0	61.2					52.1										3.0
3.5	56.3	25.5				51.0					36.0					3.5
4.0	49.4	25.5				49.1	25.5				36.0					4.0
4.5	43.6	25.5	24.8			43.3	25.5				36.0					4.5
5.0	37.5	25.5	24.8			37.0	25.5				35.3	25.5				5.0
6.0	24.8	25.5	24.8	17.9		24.5	25.5	24.0			24.2	25.5				6.0
7.0	17.9	19.7	20.6	17.3		17.6	19.1	20.0	16.1		17.4	18.7	19.5			7.0
8.0	13.7	15.2	16.0	16.3	12.8	13.4	14.7	15.5	15.8		13.1	14.3	15.1	14.6		8.0
9.0	10.7	12.2	12.9	13.3	12.5	10.4	11.7	12.4	12.8	11.6	10.2	11.3	12.0	12.5		9.0
10.0		10.0	10.7	11.0	11.3	8.3	9.5	10.1	10.6	10.9	8.0	9.2	9.8	10.2	9.8	10.0
11.0		8.3	8.9	9.3	9.5	6.6	7.8	8.4	8.9	9.1	6.5	7.4	8.1	8.5	8.8	11.0
12.0		6.9	7.6	7.9	8.1	5.3	6.5	7.1	7.5	7.7	5.2	6.2	6.8	7.1	7.4	12.0
14.0		5.0	5.6	5.9	6.1	3.4	4.5	5.1	5.5	5.7	3.2	4.2	4.8	5.2	5.4	14.0
16.0		3.6	4.1	4.5	4.7		3.2	3.8	4.1	4.4	2.0	2.9	3.4	3.8	4.1	16.0
18.0			3.2	3.5	3.6		2.2	2.7	3.1	3.3	0.9	1.9	2.4	2.8	3.0	18.0
20.0			2.3	2.6	2.9		1.4	1.9	2.3	2.5		1.1	1.6	2.0	2.2	20.0
22.0			1.7	2.0	2.2			1.3	1.7	1.9			1.0	1.4	1.6	22.0
24.0			1.2	1.5	1.7			0.8	1.1	1.4				0.8	1.1	24.0
26.0				1.1	1.2					0.9						26.0
28.0					0.8											28.0
30.0																30.0
32.0																32.0
34.0																34.0
36.0																36.0
38.0																38.0
40.0																40.0
42.0																42.0
44.0																44.0
46.0																46.0
48.0																48.0
 m	12	5	5	4	3	10	5	5	3	3	7	5	4	3	2	 m
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# LOAD CHART - TELESCOPIC BOOM (T)

## 性能表 - 主臂


Unit: t



 m	12.9	20.0	27.0	34.1	41.1	17.6	24.7	31.7	38.8	45.8	22.3	29.4	36.4	43.5	50.5	 m
2.5	62.7															2.5
3.0	57.1					48.7										3.0
3.5	48.8	23.8				47.6					33.6					3.5
4.0	42.4	23.8				42.1	23.8				33.6					4.0
4.5	32.1	23.8	23.1			31.6	23.8				31.2					4.5
5.0	24.3	23.8	23.1			23.9	23.8				23.6	23.8				5.0
6.0	15.7	17.5	18.4	16.7		15.3	16.9	17.8			15.1	16.5				6.0
7.0	11.0	12.6	13.4	13.8		10.6	12.0	12.8	13.3		10.4	11.7	12.4			7.0
8.0	8.1	9.5	10.2	10.6	10.9	7.7	9.0	9.7	10.2		7.6	8.7	9.3	9.8		8.0
9.0	6.0	7.4	8.1	8.5	8.7	5.7	6.9	7.6	8.0	8.3	5.5	6.6	7.2	7.6		9.0
10.0		5.9	6.5	6.9	7.1	4.3	5.4	6.0	6.4	6.7	4.1	5.1	5.7	6.1	6.4	10.0
11.0		4.7	5.3	5.6	5.9	3.2	4.3	4.8	5.3	5.5	3.0	3.9	4.6	4.9	5.2	11.0
12.0		3.8	4.3	4.7	4.9	2.2	3.4	3.9	4.3	4.6	2.1	3.0	3.6	4.0	4.3	12.0
14.0		2.4	2.9	3.3	3.5	0.9	2.0	2.5	2.9	3.2	0.8	1.7	2.2	2.6	2.9	14.0
16.0		1.5	2.0	2.3	2.5		1.1	1.6	1.9	2.2		0.8	1.3	1.6	1.9	16.0
18.0			1.3	1.5	1.8			0.9	1.2	1.4				0.9	1.1	18.0
20.0			0.7	1.0	1.2					0.8						20.0
22.0					0.7											22.0
24.0																24.0
26.0																26.0
28.0																28.0
30.0																30.0
32.0																32.0
34.0																34.0
36.0																36.0
38.0																38.0
40.0																40.0
42.0																42.0
44.0																44.0
46.0																46.0
48.0																48.0
 t <sub>n</sub>	12	5	5	4	3	10	5	4	3	2	7	5	3	2	2	 t <sub>n</sub>
2#	0	0	0	0	0	50	50	50	50	50	100	100	100	100	100	2#
3#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	3#
4#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	4#
5#	0	25	50	75	100	0	25	50	75	100	0	25	50	75	100	5#

# OPERATING RANGE - TELESCOPIC BOOM + FIXED JIB (TJ)


## 起升高度曲線 - 主臂 + 副臂



# LOAD CHART - TELESCOPIC BOOM + FIXED JIB (TJ)

性能表 - 主臂 + 副臂

Unit: t




m	12.9+10.4			41.1+10.4			15.3+10.4			29.4+10.4			43.5+10.4			17.6+10.4			m
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
2.5	7.5																		2.5
3	6.2						6.5									6.5			3
3.5	6						6.4									6.5			3.5
4	5.5						6.2									6.2			4
4.5	5.2						5.5									6			4.5
5	4.9						5.2									5.8			5
6	4.6	4.5					5	4.3		7						5.7			6
7	4.2	4.2					4.6	4.1		6.5						5.3	3.7		7
8	3.8	4	3.0	4			4.2	4		6.2			4.1			5	3.6		8
9	3.5	3.8	3.0	3.8			4	3.8	2.9	5.9	4.1		4			4.6	3.4	2.5	9
10	3.3	3.5	2.8	3.7			3.8	3.7	2.8	5.5	4.1		3.8			4.1	3.3	2.5	10
11	3.1	3.3	2.7	3.5			3.5	3.5	2.7	5.1	3.9		3.7			4	3	2.4	11
12	2.8	3.0	2.6	3.4			3.3	3.1	2.6	4.8	3.8	2.8	3.5			3.3	2.9	2.3	12
14	2.2	2.3	2.5	3.3	3.7		2.6	2.7	2.5	4.3	3.6	2.7	3.4	3.8		2.8	2.7	2.3	14
16	1.8	1.7	1.8	3	3.6	2.7	2.1	2	2.2	4	3.5	2.7	3.3	3.7	2.7	2.4	2.3	2.2	16
18		1.5		3	3.5	2.7	1.7	1.6	1.9	3.6	3.3	2.6	3	3.6	2.7	2	2	1.9	18
20				2.9	3.3	2.6		1.4		3.3	2.9	2.5	3	3.5	2.6	1.7	1.7	1.6	20
22				2.8	3.1	2.5				3	2.5	2.5	2.9	3.3	2.6				22
24				2.6	2.8	2.5				2.6	2.2	2.2	2.8	3.1	2.5				24
26				2.4	2.6	2.4				2.1	2	2	2.6	2.8	2.5				26
28				2.2	2.4	2.3				1.8	1.9	1.9	2.4	2.6	2.4				28
30				2	2.2	2.1				1.5	1.6		2.2	2.4	2.3				30
32				1.9	2	1.9							2	2.2	2.1				32
34				1.7	1.9	1.7							1.9	2	1.9				34
36				1.6	1.7	1.5							1.7	1.9	1.7				36
38				1.5	1.6	1.3							1.6	1.7	1.5				38
40				1.4	1.4								1.5	1.6	1.3				40
42					1.3								1.4	1.4					42
44														1.3					44
46																			46
48																			48
50																			50
52																			52
54																			54
56																			56
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2#	0	0	0	0	0	0	25	25	25	25	25	25	25	25	25	50	50	50	2#
3#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	3#
4#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	4#
5#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	5#

# LOAD CHART - TELESCOPIC BOOM + FIXED JIB (TJ)

## 性能表 - 主臂 + 副臂

Unit: t




m	45.8+10.4			20+10.4			48.2+10.4			22.3+10.4			50.5+10.4			m
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
2.5																2.5
3				6.5												3
3.5				6.5												3.5
4				6.5												4
4.5				6.1						6.5						4.5
5				5.8						6.3						5
6				5.5						5.6						6
7				5	3.5					5.2	3.5					7
8				4.8	3.3					4.9	3.4					8
9				4.5	3.2					4.7	3.3					9
10	3.3			4.2	3	2.3	3.3			4.4	3.1	2.3	3.1			10
11	3.3			3.9	2.9	2.3	3.3			4.1	3	2.3	3.1			11
12	3.2			3.4	2.7	2.2	3.3			3.8	2.8	2.3	3.1			12
14	3.1	3.1		2.9	2.6	2.1	3.2	3.1		3.2	2.7	2.2	3.1			14
16	3	3	2.5	2.4	2.2	2.1	3.1	3.1	2.5	2.5	2.3	2.1	3			16
18	3	3	2.5	2	2	1.8	3	3	2.5	2.1	2	2.1	2.9	2.9	2.4	18
20	2.9	2.9	2.5	1.5	1.7	1.5	3	3	2.5	1.9	1.8	1.8	2.9	2.9	2.4	20
22	2.8	2.8	2.5	1.1	1.4		2.9	2.9	2.5	1.3	1.6	1.6	2.8	2.8	2.4	22
24	2.7	2.7	2.4				2.8	2.8	2.5	1.1	1.4	1.4	2.7	2.7	2.4	24
26	2.5	2.7	2.3				2.7	2.7	2.4			1	2.7	2.7	2.3	26
28	2.4	2.5	2.2				2.5	2.7	2.3				2.7	2.6	2.2	28
30	2.2	2.3	2.2				2.4	2.5	2.2				2.5	2.5	2.2	30
32	2.1	2.2	2				2.2	2.3	2.2				2.4	2.3	2.1	32
34	1.9	2	1.9				2.1	2.2	2				2.2	2.2	2	34
36	1.8	1.9	1.7				1.9	2	1.9				2.1	2	1.9	36
38	1.7	1.7	1.6				1.8	1.9	1.7				1.9	1.9	1.8	38
40	1.6	1.6	1.4				1.7	1.7	1.6				1.8	1.8	1.6	40
42	1.5	1.5					1.6	1.6	1.4				1.7	1.6	1.5	42
44	1.3	1.3					1.5	1.5					1.6	1.5	1.3	44
46		1.3					1.3	1.3					1.5	1.4	1.2	46
48								1.3					1.2	1.3		48
50														1.2		50
52																52
54																54
56																56
⚙️	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	⚙️
2#	50	50	50	75	75	75	75	75	75	100	100	100	100	100	100	2#
3#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	3#
4#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	4#
5#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	5#

# LOAD CHART - TELESCOPIC BOOM + FIXED JIB (TJ)

## 性能表 - 主臂 + 副臂

Unit: t




m	12.9+10.4			41.1+10.4			15.3+10.4			29.4+10.4			43.5+10.4			17.6+10.4			m
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
2.5	7.5						/												2.5
3	6.2						6.5									6.5			3
3.5	6						6.4									6.5			3.5
4	5.5						6.2									6.2			4
4.5	5.2						5.5									6			4.5
5	4.9						5.2									5.8			5
6	4.6	4.5					5	4.3		7						5.7			6
7	4.2	4.2					4.6	4.1		6.5						5.3	3.7		7
8	3.8	4	3.0	4			4.2	4		6.2			4.1			5	3.6		8
9	3.5	3.8	3.0	3.8			4	3.8	2.9	5.9	4.1		4			4.6	3.4	2.5	9
10	3.3	3.5	2.8	3.7			3.8	3.7	2.8	5.5	4.1		3.8			4.1	3.3	2.5	10
11	3.1	3.3	2.7	3.5			3.5	3.5	2.7	5.1	3.9		3.7			4	3	2.4	11
12	2.8	3.0	2.6	3.4			3.3	3.1	2.6	4.8	3.8	2.8	3.5			3.3	2.9	2.3	12
14	2.2	2.3	2.5	3.3	3.7		2.6	2.7	2.5	4.3	3.6	2.7	3.4	3.8		2.8	2.7	2.3	14
16	1.8	1.7	1.8	3	3.6	2.7	2.1	2	2.2	4	3.5	2.7	3.3	3.7	2.7	2.4	2.3	2.2	16
18		1.5		3	3.5	2.7	1.7	1.6	1.9	3.6	3.3	2.6	3	3.6	2.7	2	2	1.9	18
20				2.9	3.3	2.6		1.4		3.3	2.9	2.5	3	3.5	2.6	1.7	1.7	1.6	20
22				2.8	3.1	2.5				3	2.5	2.5	2.9	3.3	2.6				22
24				2.6	2.8	2.5				2.6	2.2	2.2	2.8	3.1	2.5				24
26				2.4	2.6	2.4				2.1	2	2	2.6	2.8	2.5				26
28				2.2	2.4	2.3				1.8	1.9	1.9	2.4	2.6	2.4				28
30				2	2.2	2.1				1.5	1.6		2.2	2.4	2.3				30
32				1.9	2	1.9							2	2.2	2.1				32
34				1.7	1.9	1.7							1.9	2	1.9				34
36				1.6	1.7	1.5							1.7	1.9	1.7				36
38				1.5	1.6	1.3							1.6	1.7	1.5				38
40				1.4	1.4								1.5	1.6	1.3				40
42					1.3								1.4	1.4					42
44														1.3					44
46																			46
48																			48
50																			50
52																			52
54																			54
56																			56
$\Sigma_n$	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	$\Sigma_n$
2#	0	0	0	0	0	0	25	25	25	25	25	25	25	25	25	50	50	50	2#
3#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	3#
4#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	4#
5#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	5#

# LOAD CHART - TELESCOPIC BOOM + FIXED JIB (TJ)

## 性能表 - 主臂 + 副臂

Unit: t




m	45.8+10.4			20+10.4			48.2+10.4			22.3+10.4			50.5+10.4			m
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
2.5																2.5
3				6.5												3
3.5				6.5												3.5
4				6.5												4
4.5				6.1						6.5						4.5
5				5.8						6.3						5
6				5.5						5.6						6
7				5	3.5					5.2	3.5					7
8				4.8	3.3					4.9	3.4					8
9				4.5	3.2					4.7	3.3					9
10	3.3			4.2	3	2.3	3.3			4.4	3.1	2.3	3.1			10
11	3.3			3.9	2.9	2.3	3.3			4.1	3	2.3	3.1			11
12	3.2			3.4	2.7	2.2	3.3			3.8	2.8	2.3	3.1			12
14	3.1	3.1		2.9	2.6	2.1	3.2	3.1		3.2	2.7	2.2	3.1			14
16	3	3	2.5	2.4	2.2	2.1	3.1	3.1	2.5	2.5	2.3	2.1	3			16
18	3	3	2.5	2	2	1.8	3	3	2.5	2.1	2	2.1	2.9	2.9	2.4	18
20	2.9	2.9	2.5	1.5	1.7	1.5	3	3	2.5	1.9	1.8	1.8	2.9	2.9	2.4	20
22	2.8	2.8	2.5	1.1	1.4		2.9	2.9	2.5	1.3	1.6	1.6	2.8	2.8	2.4	22
24	2.7	2.7	2.4				2.8	2.8	2.5	1.1	1.4	1.4	2.7	2.7	2.4	24
26	2.5	2.7	2.3				2.7	2.7	2.4			1	2.7	2.7	2.3	26
28	2.4	2.5	2.2				2.5	2.7	2.3				2.7	2.6	2.2	28
30	2.2	2.3	2.2				2.4	2.5	2.2				2.5	2.5	2.2	30
32	2.1	2.2	2				2.2	2.3	2.2				2.4	2.3	2.1	32
34	1.9	2	1.9				2.1	2.2	2				2.2	2.2	2	34
36	1.8	1.9	1.7				1.9	2	1.9				2.1	2	1.9	36
38	1.7	1.7	1.6				1.8	1.9	1.7				1.9	1.9	1.8	38
40	1.6	1.6	1.4				1.7	1.7	1.6				1.8	1.8	1.6	40
42	1.5	1.5					1.6	1.6	1.4				1.7	1.6	1.5	42
44	1.3	1.3					1.5	1.5					1.6	1.5	1.3	44
46		1.3					1.3	1.3					1.5	1.4	1.2	46
48								1.3					1.2	1.3		48
50														1.2		50
52																52
54																54
56																56
UN	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	UN
2#	50	50	50	75	75	75	75	75	75	100	100	100	100	100	100	2#
3#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	3#
4#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	4#
5#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	5#

# LOAD CHART - TELESCOPIC BOOM + FIXED JIB (TJ)

性能表 - 主臂 + 副臂

Unit: t




m	12.9+17.5			41.1+17.5			15.3+17.5			29.4+17.5			43.5+17.5			17.6+17.5			m
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
2.5																			2.5
3																			3
3.5	3.5						3.4												3.5
4	3.3						3.2												4
4.5	3.2						3.1									3.3			4.5
5	3.1						2.9									3.1			5
6	3						2.8			3.1						3.1			6
7	2.9						2.6			3						3			7
8	2.8						2.4			2.9						2.9			8
9	2.6	2.1					2.3			2.7						2.8			9
10	2.5	2.0					2.2	2		2.5			2.3			2.6	2		10
11	2.3	1.9		2.2			2.2	1.9		2.4			2.3			2.4	1.9		11
12	2.2	1.9		2.1			2	1.8		2.2	2.1		2.3			2.3	1.9		12
14	2.0	1.8	1.4	2.1			1.9	1.7		2.2	2.1		2.2			2.2	1.7		14
16	1.7	1.6	1.3	2	1.8		1.8	1.6	1.4	2	2		2.1	1.9		2	1.6	1.3	16
18	1.5	1.5	1.2	1.9	1.8		1.7	1.4	1.3	1.9	1.9	1.3	2.1	1.9		1.8	1.4	1.2	18
20	1.2	1.3	1.2	1.8	1.8	1.3	1.4	1.3	1.2	1.7	1.8	1.3	2	1.9		1.6	1.3	1.2	20
22	1.1	1.2	1.1	1.8	1.8	1.3	1.2	1.2	1.2	1.5	1.7	1.3	1.9	1.9	1.3	1.4	1.2	1.1	22
24		1.0	1.0	1.7	1.8	1.3	1	1.1	1.1	1.3	1.6	1.3	1.8	1.9	1.3	1.2	1.2	1.1	24
26				1.6	1.7	1.3		1	1	1.2	1.5	1.2	1.7	1.8	1.3	1	1.1	1	26
28				1.5	1.6	1.2				1.2	1.4	1.2	1.7	1.7	1.2		1	0.9	28
30				1.5	1.5	1.2				1.1	1.3	1.2	1.6	1.7	1.2				30
32				1.4	1.4	1.1				1.1	1.1	1.1	1.5	1.6	1.2				32
34				1.3	1.3	1.1				1	1.1	1	1.4	1.4	1.1				34
36				1.2	1.3	1					1	0.9	1.4	1.4	1.1				36
38				1.2	1.2	1					0.9		1.3	1.3	1				38
40				1.1	1.1								1.2	1.2	1				40
42					1								1	1.1	0.9				42
44													1	1	0.9				44
46													0.9	0.9	0.8				46
48													0.9	0.9					48
50														0.8					50
52																			52
54																			54
56																			56
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2#	0	0	0	0	0	0	25	25	25	25	25	25	25	25	25	50	50	50	2#
3#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	3#
4#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	4#
5#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	5#

# LOAD CHART - TELESCOPIC BOOM + FIXED JIB (TJ)

## 性能表 - 主臂 + 副臂

Unit: t




m	45.8+17.5			20+17.5			48.2+17.5			22.3+17.5			50.5+17.5			m
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
2.5																2.5
3																3
3.5																3.5
4																4
4.5																4.5
5				3.3						3.1						5
6				3.2						3						6
7				3.1						2.9						7
8				2.9						2.8						8
9				2.8						2.6						9
10				2.6						2.5						10
11				2.5	2					2.3	2					11
12	1.8			2.3	1.9		1.8			2.2	1.9		2			12
14	1.8			2.3	1.9		1.8			2.1	1.9		1.9			14
16	1.8			2.1	1.7	1.3	1.8			1.9	1.7	1.3	1.9			16
18	1.8	1.7		1.9	1.6	1.2	1.8	1.7		1.9	1.6	1.2	1.9	1.7		18
20	1.8	1.6		1.8	1.6	1.2	1.8	1.6		1.8	1.6	1.2	1.9	1.7		20
22	1.7	1.5	1.3	1.6	1.4	1.1	1.8	1.6	1.3	1.6	1.4	1.2	1.8	1.6		22
24	1.7	1.5	1.3	1.3	1.3	1.1	1.7	1.5	1.3	1.4	1.3	1.2	1.8	1.6	1.3	24
26	1.6	1.5	1.3	1.1	1.2	1	1.7	1.5	1.3	1.3	1.2	1.1	1.7	1.6	1.3	26
28	1.6	1.5	1.2	1	1.1	0.9	1.6	1.5	1.3	1.1	1.1	1	1.7	1.6	1.3	28
30	1.5	1.4	1.2		1		1.6	1.5	1.3	0.9	0.9	0.9	1.6	1.5	1.3	30
32	1.5	1.4	1.2				1.5	1.4	1.3		0.8		1.6	1.5	1.2	32
34	1.5	1.3	1.2				1.5	1.4	1.3				1.6	1.4	1.2	34
36	1.4	1.3	1.2				1.5	1.3	1.2				1.6	1.4	1.2	36
38	1.3	1.2	1.2				1.4	1.3	1.2				1.5	1.3	1.2	38
40	1.2	1.2	1.1				1.3	1.2	1.2				1.4	1.3	1.2	40
42	1.2	1.2					1.3	1.2	1.1				1.3	1.2	1.2	42
44	1.1	1.2					1.2	1.2					1.2	1.2	1.1	44
46		1.1					1.1	1.2					0.9	1.1	1.1	46
48								1.1					0.7	1.1	1.1	48
50														1	1	50
52															0.9	52
54																54
56																56
⌋ <sub>n</sub>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	⌋ <sub>n</sub>
2#	50	50	50	75	75	75	75	75	75	100	100	100	100	100	100	2#
3#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	3#
4#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	4#
5#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	5#

# LOAD CHART - TELESCOPIC BOOM + FIXED JIB (TJ)

## 性能表 - 主臂 + 副臂

Unit: t




m	12.9+17.5			41.1+17.5			15.3+17.5			29.4+17.5			43.5+17.5			17.6+17.5			m
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
2.5																			2.5
3																			3
3.5	3.5						3.4												3.5
4	3.3						3.2												4
4.5	3.2						3.1									3.3			4.5
5	3.1						2.9									3.1			5
6	3						2.8			3.1						3.1			6
7	2.9						2.6			3						3			7
8	2.8						2.4			2.9						2.9			8
9	2.6	2.1					2.3			2.7						2.8			9
10	2.5	2.0					2.2	2		2.5			2.3			2.6	2		10
11	2.3	1.9		2.2			2.2	1.9		2.4			2.3			2.4	1.9		11
12	2.2	1.9		2.1			2	1.8		2.2	2.1		2.3			2.3	1.9		12
14	2.0	1.8	1.4	2.1			1.9	1.7		2.2	2.1		2.2			2.2	1.7		14
16	1.7	1.6	1.3	2	1.8		1.8	1.6	1.4	2	2		2.1	1.9		2	1.6	1.3	16
18	1.5	1.5	1.2	1.9	1.8		1.7	1.4	1.3	1.9	1.9	1.3	2.1	1.9		1.8	1.4	1.2	18
20	1.2	1.3	1.2	1.8	1.8	1.3	1.4	1.3	1.2	1.7	1.8	1.3	2	1.9		1.6	1.3	1.2	20
22	1.1	1.2	1.1	1.8	1.8	1.3	1.2	1.2	1.2	1.5	1.7	1.3	1.9	1.9	1.3	1.4	1.2	1.1	22
24		1.0	1.0	1.7	1.8	1.3	1	1.1	1.1	1.3	1.6	1.3	1.8	1.9	1.3	1.2	1.2	1.1	24
26				1.6	1.7	1.3		1	1	1.2	1.5	1.2	1.7	1.8	1.3	1	1.1	1	26
28				1.5	1.6	1.2				1.2	1.4	1.2	1.7	1.7	1.2		1	0.9	28
30				1.5	1.5	1.2				1.1	1.3	1.2	1.6	1.7	1.2				30
32				1.4	1.4	1.1				1.1	1.1	1.1	1.5	1.6	1.2				32
34				1.3	1.3	1.1				1	1.1	1	1.4	1.4	1.1				34
36				1.2	1.3	1					1	0.9	1.4	1.4	1.1				36
38				1.2	1.2	1					0.9		1.3	1.3	1				38
40				1.1	1.1								1.2	1.2	1				40
42					1								1	1.1	0.9				42
44													1	1	0.9				44
46													0.9	0.9	0.8				46
48													0.9	0.9					48
50														0.8					50
52																			52
54																			54
56																			56
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2#	0	0	0	0	0	0	25	25	25	25	25	25	25	25	25	50	50	50	2#
3#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	3#
4#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	4#
5#	0	0	0	100	100	100	0	0	0	50	50	50	100	100	100	0	0	0	5#

# LOAD CHART - TELESCOPIC BOOM + FIXED JIB (TJ)

## 性能表 - 主臂 + 副臂

Unit: t



m	45.8+17.5			20+17.5			48.2+17.5			22.3+17.5			50.5+17.5			m
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	
2.5																2.5
3																3
3.5																3.5
4																4
4.5																4.5
5				3.3						3.1						5
6				3.2						3						6
7				3.1						2.9						7
8				2.9						2.8						8
9				2.8						2.6						9
10				2.6						2.5						10
11				2.5	2					2.3	2					11
12	1.8			2.3	1.9		1.8			2.2	1.9		2			12
14	1.8			2.3	1.9		1.8			2.1	1.9		1.9			14
16	1.8			2.1	1.7	1.3	1.8			1.9	1.7	1.3	1.9			16
18	1.8	1.7		1.9	1.6	1.2	1.8	1.7		1.9	1.6	1.2	1.9	1.7		18
20	1.8	1.6		1.8	1.6	1.2	1.8	1.6		1.8	1.6	1.2	1.9	1.7		20
22	1.7	1.5	1.3	1.6	1.4	1.1	1.8	1.6	1.3	1.6	1.4	1.2	1.8	1.6		22
24	1.7	1.5	1.3	1.3	1.3	1.1	1.7	1.5	1.3	1.4	1.3	1.2	1.8	1.6	1.3	24
26	1.6	1.5	1.3	1.1	1.2	1	1.7	1.5	1.3	1.3	1.2	1.1	1.7	1.6	1.3	26
28	1.6	1.5	1.2	1	1.1	0.9	1.6	1.5	1.3	1.1	1.1	1	1.7	1.6	1.3	28
30	1.5	1.4	1.2		1		1.6	1.5	1.3	0.9	0.9	0.9	1.6	1.5	1.3	30
32	1.5	1.4	1.2				1.5	1.4	1.3		0.8		1.6	1.5	1.2	32
34	1.5	1.3	1.2				1.5	1.4	1.3				1.6	1.4	1.2	34
36	1.4	1.3	1.2				1.5	1.3	1.2				1.6	1.4	1.2	36
38	1.3	1.2	1.2				1.4	1.3	1.2				1.5	1.3	1.2	38
40	1.2	1.2	1.1				1.3	1.2	1.2				1.4	1.3	1.2	40
42	1.2	1.2					1.3	1.2	1.1				1.3	1.2	1.2	42
44	1.1	1.2					1.2	1.2					1.2	1.2	1.1	44
46		1.1					1.1	1.2					0.9	1.1	1.1	46
48								1.1					0.7	1.1	1.1	48
50														1	1	50
52															0.9	52
54																54
56																56
⚡ <sub>n</sub>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	⚡ <sub>n</sub>
2#	50	50	50	75	75	75	75	75	75	100	100	100	100	100	100	2#
3#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	3#
4#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	4#
5#	100	100	100	0	0	0	100	100	100	0	0	0	100	100	100	5#

# STC1000T5 – 100噸傳統式吊車

本桿50.5米，可自由伸縮，油壓副桿17.5米

上拋式副桿可於巷內或狹窄地方使用

配重23.3噸，可載配重18.3噸行駛公路

引擎康明斯歐三免加尿素，自動變速箱

6種轉向模式、4個支腳可一鍵伸縮及自動水平及任意伸縮

360度全景攝像頭、全車可遙控操作、C5重防腐塗裝

更多相關資訊，請參閱目錄

## SANY®

SANY Mobile Crane and Tower Crane Industrial Park

No.168 Jinzhou Avenue, Jinzhou Development Zone, Changsha City, Hunan Province, P.R. China Zip 410600

SANY Crawler Crane Industrial Park

No. 2188 Daishan Road, Wuxing District, Huzhou City, Zhejiang Province, P. R. China Zip 313028

Consulting [sanycrane@sanygroup.com](mailto:sanycrane@sanygroup.com) (Crane BU) / [crd@sany.com.cn](mailto:crd@sany.com.cn) (IHQ)

After-sales Service 0086-400 609 8318 (Overseas)

### Reminder:

Any change in the technical parameters and configuration due to product modification or upgrade may occur without prior notice. The machine in the picture may include additional equipment. This brochure is for reference only, and goods in kind shall prevail.

Copyright at SANY. No part of this brochure may be copied or used for any purpose without written approval from SANY.

© Version 2025-10-28

三一輪式、塔式起重機產業園：中國湖南長沙金洲開發區金洲大道168號 郵編：410600

三一履帶起重機產業園：中國浙江湖州市吳興區黛山路2188號 郵編：313028

諮詢：[sanycrane@sanygroup.com](mailto:sanycrane@sanygroup.com)(起重事業部) / [crd@sany.com.cn](mailto:crd@sany.com.cn)(國際總部)

售後服務：0086-400 609 8318(海外)

### 溫馨提示：

由於技術不斷更新，技術參數及配置如有更改，恕不另行通知。圖中機器可能包括附加設備，本畫冊僅供參考，以實物為準。

版權為三一所有，未經三一書面許可，本畫冊任何內容不得被複製用於任何目的。

© 2025年10月28日版



Contact SANY Group



Follow SANY Group

SANY CRANE | [f](#) [in](#) [v](#) | [www.sanyglobal.com](http://www.sanyglobal.com)